

**KAPYEGO WARD**

**TANGUL WATER PROJECT 2017-18**

**PIPELINE**

<b>Item</b>	<b>Description</b>	<b>Unit</b>	<b>Qty</b>	<b>Rate</b>	<b>Amount</b>
01	Excavate and backfill trench minimum 600mm deep in normal soil	M	1932		
02	Provide and lay 40mm Ø GS pipe class B for river crossing and rocky sections. Use approved jointing compound.	No	30		
03	Provide, handle, lay and joint 40mm PVC pipe class D using approved jointing compound(Tangit/ solvent cement)	No	322		
05	Provide and install the following fittings for places to be specified by the Engineer. <ul style="list-style-type: none"> <li>• 40mmØ PVC adaptor</li> <li>• 40mmØ plain socket</li> <li>• 40mmØ union socket</li> <li>• 40mmØ 90° GS bend</li> </ul>	No No No No	10 5 2 4		
05	Provide and fix 40mmØ washout at lowest section along the line.	No	1		
06	Construct reinforced concrete support 300mmx300mm at Aror river crossing to hold the pipe firmly to at least 1m above flood level.	No	2		
	<b>Sub Total to be carried to grand total</b>				
<b>07</b>	<b>add Project signage</b>	<b>l/s</b>			
<b>08</b>	<b>Project supervision</b>	<b>l/s</b>		<b>40,000</b>	<b>40,000</b>
	<b>GRAND TOTAL TO BE CARRIED TO FORM OF TENDER</b>				

**AMOUNT IN WORDS (KSHS)**.....

.....  
 .....

CONTRACTOR'S NAME.....

ADDRESS.....

SIGN.....