



**COUNTY GOVERNMENT OF ELGEYO MARAKWET**

**P.O. BOX 220- 30700**

**ITEN.**

**STANDARD TENDER DOCUMENT  
FOR  
SUPPLY AND DELIVERY OF RADIOLOGY MATERIALS,  
RENAL ITEMS, NON PHARMACETICAL, LABORATORY  
REAGENTS, PHARMACEUTICAL ITEMS,  
ORTHOPEADICIMPLANTS FOR ICRH**

**CONTRACT NO: EMC/FC/ICRH/01/2023-2025**

**FOR THE PERIOD ENDING 5<sup>TH</sup>MARCH 2025**

**County Government of Elgeyo Marakwet Tender document for HEALTH 2023**

**DRY FOODSTUFF ITEN COUNTY REFERRAL HOSPITAL 2023- 2025**

## TABLE OF CONTENTS

		PAGE
	INTRODUCTION .....	3
SECTION I	INVITATION TO TENDER.....	4
SECTION II	INSTRUCTIONS TO TENDERERS.....	5
	Appendix to Instructions to Tenderers .....	21
SECTION III	GENERAL CONDITIONS OF CONTRACT.....	23
SECTION IV	SPECIAL CONDITIONS OF CONTRACT.....	30
SECTION V	TECHNICAL SPECIFICATIONS.....	32
SECTION VI	SCHEDULE OF REQUIREMENTS.....	34
SECTION VII	PRICE SCHEDULE FOR GOODS.....	35
SECTION VIII	STANDARD FORMS.....	36
	8.1 FORM OF TENDER.....	37
	8.2 CONFIDENTIAL BUSINESS QUESTIONNAIRES FORMS.....	38
	8.3 TENDER SECURITY FORM.....	39
	8.4 CONTRACT FORM.....	40
	8.5 PERFORMANCE SECURITY FORM.....	41
	8.6 BANK GUARANTTE FOR ADVANCE PAYMENT FORM.....	42
	8.7 MANUFACTURER’S AUTHORIZATION FORM.....	43

## **Introduction**

- 1.1 This Standard Tender Document has been prepared for use by public entities in Kenya
- 1.2 The following general directions should be observed when using the document.
  - (a) Specific details should be furnished in the Invitation to Tender and in the special conditions of contract. The final documents to be provided to the tenderers should not have blank spaces or give options
  - (b) The Instructions to Tenderers and the general conditions of contract should remain unchanged. Any necessary amendments to these parts should be made through the special conditions of contract and the appendix to instructions to tenderers.
- 1.3
  - (a) Information contained in the Invitation to Tender shall conform to the data and information in the tender documents to enable potential tenderers to decide whether or not to participate and shall indicate any important tender requirements.
  - (b) The Invitation to tender shall be issued as an advertisement in accordance with the regulations or a letter of invitation addressed to tenderers who have expressed interest following the invitation for expression of interest for which the invitation is issued.

**SECTION I            INVITATION TO TENDER**  
**DATE 11/ 02/ 2023**

**TENDER REF NO.EMC/FC/ICRH/01/2023-2025**

**1.1** Interested eligible candidates may obtain further information from and inspect the tender documents at (*procurement office Elgeyo Marakwet County Iten*) during normal working hours from 11/ 02/ 2023

- 1.1** A complete set of tender documents may be obtained by interested candidates upon payment of non-refundable fees of **(Ksh 1000 /or be downloaded from county website [www.elgeyomarakwet .go.ke](http://www.elgeyomarakwet.go.ke) for free.**
- 1.2** Completed tender documents are to be enclosed in plain sealed envelopes marked with tender reference number and be deposited in the Tender Box at county treasury building Iten or be addressed to (*County Secretary Elgeyo Marakwet county box 220 Iten before*)
- 1.3** Prices quoted should be net inclusive of all taxes and delivery must be in Kenya Shillings and shall remain valid for (120) days from the closing date of the tender.

**SECTION II - INSTRUCTIONS TO TENDERERS**

**Table of Clauses**

	Page
2.1 Eligible tenderers.....	6
2.2 Eligible goods.....	6
2.3 Cost of tendering.....	6
2.4 Contents of Tender document.....	7
2.5 Clarification of documents.....	7
2.6 Amendment of documents.....	8
2.7 Language of tender.....	8
2.8 Documents comprising the tender.....	8
2.9 Tender forms.....	9
2.10 Tender prices.....	9
2.11 Tender currencies.....	9
2.12 Tenderers eligibility and qualifications.....	0
2.13 Goods' eligibility and conformity to Tender documents.....	10
2.14 Tender security.....	11
2.15 Validity of tenders.....	12
2.16 Format and signing of tenders.....	13
2.17 Sealing and marking of tenders.....	13
2.18 Deadline for submission of tender .....	14
2.19 Modification and withdrawal of tenders.....	14
2.20 Opening of tenders.....	15
2.21 Clarification of tenders.....	15
2.22 Preliminary examination.....	15
2.23 Conversion to single currency.....	16
2.24 Evaluation and comparison of tenders.....	16
2.25 Contacting the procuring entity.....	17
2.26 Award of contract.....	17
(a) Post qualification.....	17
(b) Award criteria.....	17
(c) Procuring entity's right to vary quantities....	18
(d) Procuring entity's right to accept or Reject any or all tenders .....	18
2.27 Notification of award.....	18
2.28 Signing of contract.....	18
2.29 Performance security.....	19
2.30 Corrupt or fraudulent practices.....	19

**SECTION II - INSTRUCTIONS TO TENDERERS**

## **2.1 Eligible Tenderers**

2.1.1 This Invitation for Tenders is open to all tenderers eligible as described in the Invitation to Tender. Successful tenderers shall complete the supply of goods by the intended completion date specified in the Schedule of Requirements Section VI.

2.1.2 The procuring entity's employees, committee members, board members and their relative (spouse and children) are not eligible to participate in the tender.

2.1.3 Tenderers shall provide the qualification information statement that the tenderer (including all members of a joint venture and subcontractors) is not associated, or have been associated in the past, directly or indirectly, with a firm or any of its affiliates which have been engaged by the Procuring entity to provide consulting services for the preparation of the design, specifications, and other documents to be used for the procurement of the goods under this Invitation for tenders.

2.1.4 Tenderers shall not be under a declaration of ineligibility for corrupt and fraudulent practices.

## **2.2 Eligible Goods**

2.2.1 All goods to be supplied under the contract shall have their origin in eligible source countries.

2.2.2 For purposes of this clause, "origin" means the place where the goods are mined, grown, or produced. Goods are produced when, through manufacturing, processing, or substantial and major assembly of components, a commercially-recognized product results that is substantially different in basic characteristics or in purpose or utility from its components

2.2.3 The origin of goods is distinct from the nationality of the tenderer.

## **2.3 Cost of Tendering**

2.3.1 The Tenderer shall bear all costs associated with the preparation and submission of its tender, and the procuring entity, will in no case be

responsible or liable for those costs, regardless of the conduct or outcome of the tendering process.

2.3.2 The price to be charged for the tender document shall not exceed Kshs.5,000/=

2.3.3 All firms found capable of performing the contract satisfactorily in accordance with the set prequalification criteria shall be prequalified.

#### **2.4. The Tender Document**

2.4.1 The tender document comprises the documents listed below and addenda issued in accordance with clause 2.6 of these instructions to Tenderers

- (i) Invitation to Tender
- (ii) Instructions to tenderers
- (iii) General Conditions of Contract
- (iv) Special Conditions of Contract
- (v) Schedule of requirements
- (vi) Technical Specifications
- (vii) Tender Form and Price Schedules
- (viii) Tender Security Form
- (ix) Contract Form
- (x) Valid license from pharmacy and poison board
- (xi) Bank Guarantee for Advance Payment Form
- (xii) Confidential Business Questionnaire

2.4.2 The Tenderer is expected to examine all instructions, forms, terms, and specifications in the tender documents. Failure to furnish all information required by the tender documents or to submit a tender not substantially responsive to the tender documents in every respect will be at the tenderers risk and may result in the rejection of its tender.

#### **2.5 Clarification of Documents**

2.5.1 A prospective tenderer requiring any clarification of the tender Document may notify the Procuring entity in writing or by post at the Entity's address indicated in the Invitation to Tender. The Procuring entity will respond in writing to any request for clarification of the tender documents, which it receives not later than seven (7) days prior to the deadline for the submission of tenders, prescribed by the

procuring entity. Written copies of the Procuring entities response (including an explanation of the query but without identifying the source of inquiry) will be sent to all prospective tenderers that have received the tender document.

2.5.2 The procuring entity shall reply to any clarifications sought by the tenderer within 3 days of receiving the request to enable the tenderer to make timely submission of its tender.

## **2.6 Amendment of Documents**

2.6.1 At any time prior to the deadline for submission of tenders, the Procuring entity, for any reason, whether at its own initiative or in response to a clarification requested by a prospective tenderer, may modify the tender documents by amendment.

2.6.2 All prospective candidates that have received the tender documents will be notified of the amendment in writing or by post and will be binding on them.

2.6.3 In order to allow prospective tenderers reasonable time in which to take the amendment into account in preparing their tenders, the Procuring entity, at its discretion, may extend the deadline for the submission of tenders.

## **2.7 Language of Tender**

2.7.1 The tender prepared by the tenderer, as well as all correspondence and documents relating to the tender exchange by the tenderer and the Procuring entity, shall be written in English language, provided that any printed literature furnished by the tenderer may be written in another language provided they are accompanied by an accurate English translation of the relevant passages in which case, for purposes of interpretation of the tender, the English translation shall govern.

## **2.8 Documents Comprising of Tender**

2.8.1 The tender prepared by the tenderers shall comprise the following components

- (a) a Tender Form and a Price Schedule completed in accordance with paragraph 2.9, 2.10 and 2.11 below

- (b) documentary evidence established in accordance with paragraph 2.1 that the tenderer is eligible to tender and is qualified to perform the contract if its tender is accepted;
- (c) documentary evidence established in accordance with paragraph 2.2 that the goods and ancillary services to be supplied by the tenderer are eligible goods and services and conform to the tender documents; and
- (d) tender security furnished in accordance with paragraph 2.14

## **2.9 Tender Forms**

2.9.1 The tenderer shall complete the Tender Form and the appropriate Price Schedule furnished in the tender documents, indicating the goods to be supplied, a brief description of the goods, their country of origin, quantity, and prices.

## **2.10 Tender Prices**

2.10.1 The tenderer shall indicate on the appropriate Price Schedule the unit prices and total tender price of the goods it proposes to supply under the contract

2.10.2 Prices indicated on the Price Schedule shall include all costs including taxes, insurances and delivery to the premises of the entity.

2.10.3 Prices quoted by the tenderer shall be fixed during the Tender's performance of the contract and not subject to variation on any account. A tender submitted with an adjustable price quotation will be treated as non-responsive and will be rejected, pursuant to paragraph 2.22

2.10.4 The validity period of the tender shall be 60 days from the date of opening of the tender.

## **2.11 Tender Currencies**

2.11.1 Prices shall be quoted in Kenya Shillings unless otherwise specified in the Appendix to Instructions to Tenderers.

## **2.12 Tenderers Eligibility and Qualifications**

2.12.1 Pursuant to paragraph 2.1. The tenderer shall furnish, as part of its tender, documents establishing the tenderers eligibility to tender and its qualifications to perform the contract if its tender is accepted.

2.12.2 The documentary evidence of the tenderers eligibility to tender shall establish to the Procuring entity's satisfaction that the tenderer, at the time of submission of its tender, is from an eligible source country as defined under paragraph 2.1

2.12.3 The documentary evidence of the tenderers qualifications to perform the contract if its tender is accepted shall be established to the Procuring entity's satisfaction;

- (a) that, in the case of a tenderer offering to supply goods under the contract which the tenderer did not manufacture or otherwise produce, the tenderer has been duly authorized by the goods' Manufacturer or producer to supply the goods.
- (b) that the tenderer has the financial, technical, and production capability necessary to perform the contract;
- (c) that, in the case of a tenderer not doing business within Kenya, the tenderer is or will be (if awarded the contract) represented by an Agent in Kenya equipped, and able to carry out the Tenderer's maintenance, repair, and spare parts-stocking obligations prescribed in the Conditions of Contract and/or Technical Specifications.

## **2.13 Goods Eligibility and Conformity to Tender Documents**

2.13.1 Pursuant to paragraph 2.2 of this section, the tenderer shall furnish, as part of its tender documents establishing the eligibility and conformity to the tender documents of all goods which the tenderer proposes to supply under the contract

2.13.2 The documentary evidence of the eligibility of the goods shall consist of a statement in the Price Schedule of the country of origin of the goods and services offered which shall be confirmed by a certificate of origin issued at the time of shipment.

2.13.3 The documentary evidence of conformity of the goods to the tender documents may be in the form of literature, drawings, and data, and shall consist of:

- (a) a detailed description of the essential technical and performance characteristic of the goods;
- (b) a list giving full particulars, including available source and current prices of spare parts, special tools, etc., necessary for the proper and continuing functioning of the goods for a period of two (2) years, following commencement of the use of the goods by the Procuring entity; and
- (c) a clause-by-clause commentary on the Procuring entity's Technical Specifications demonstrating substantial responsiveness of the goods and service to those specifications, or a statement of deviations and exceptions to the provisions of the Technical Specifications.

2.13.4 For purposes of the documentary evidence to be furnished pursuant to paragraph 2.13.3(c) above, the tenderer shall note that standards for workmanship, material, and equipment, as well as references to brand names or catalogue numbers designated by the Procurement entity in its Technical Specifications, are intended to be descriptive only and not restrictive. The tenderer may substitute alternative standards, brand names, and/or catalogue numbers in its tender, provided that it demonstrates to the Procurement entity's satisfaction that the substitutions ensure substantial equivalence to those designated in the Technical Specifications.

## **2.14 Tender Security**

2.14.1 The tenderer shall furnish, as part of its tender, a tender security for the amount specified in the Appendix to Invitation to Tenderers.

2.14.2 The tender security shall be in the amount of 2 per cent of the tender price.

2.14.3 The tender security is required to protect the Procuring entity against the risk of Tenderer's conduct which would warrant the security's forfeiture, pursuant to paragraph 2.14.7

2.14.4 The tender security shall be denominated in Kenya Shillings or in another freely convertible currency, and shall be in the form of a bank guarantee or a bank draft issued by a reputable bank located in Kenya or abroad, or a guarantee issued by a reputable insurance company in the form provided in the tender documents or another form acceptable

to the Procuring entity and valid for thirty (30) days beyond the validity of the tender.

2.14.5 Any tender not secured in accordance with paragraph 2.14.1 and 2.14.3 will be rejected by the Procuring entity as non-responsive, pursuant to paragraph 2.22

2.14.6 Unsuccessful Tenderer's tender security will be discharged or returned as promptly as possible as but not later than thirty (30) days after the expiration of the period of tender validity prescribed by the Procuring entity.

2.14.7 The successful Tenderer's tender security will be discharged upon the tenderer signing the contract, pursuant to paragraph 2.27 and furnishing the performance security, pursuant to paragraph 2.28

2.14.8 The tender security may be forfeited:

(a) if a tenderer withdraws its tender during the period of tender validity specified by the procuring entity on the Tender Form;  
or

(b) in the case of a successful tenderer, if the tenderer fails:

(i) to sign the contract in accordance with paragraph 2.27

or

(ii) to furnish performance security in accordance with paragraph 2.28

## 2.15 **Validity of Tenders**

2.15.1 Tenders shall remain valid for 120 days or as specified in the Invitation to tender after the date of tender opening prescribed by the Procuring entity, pursuant to paragraph 2.18. A tender valid for a shorter period shall be rejected by the Procuring entity as non-responsive.

2.15.2 In exceptional circumstances, the Procuring entity may solicit the Tenderer's consent to an extension of the period of validity. The request and the responses thereto shall be made in writing. The tender security provided under paragraph 2.14 shall also be suitably extended. A tenderer may refuse the request without forfeiting its tender security. A tenderer granting the request will not be required nor permitted to modify its tender.

## 2.16 Format and Signing of Tender

2.16.1 The Procuring entity shall prepare two copies of the tender, clearly marking each “ORIGINAL TENDER” and “COPY OF TENDER,” as appropriate. In the event of any discrepancy between them, the original shall govern.

2.16.2 The original and all copies of the tender shall be typed or written in indelible ink and shall be signed by the tenderer or a person or persons duly authorized to bind the tenderer to the contract. The latter authorization shall be indicated by written power-of-attorney accompanying the tender. All pages of the tender, except for unlamented printed literature, shall be initialed by the person or persons signing the tender.

2.16.3 The tender shall have no interlineations, erasures, or overwriting except as necessary to correct errors made by the tenderer, in which case such corrections shall be initialed by the person or persons signing the tender.

## 2.17 Sealing and Marking of Tenders

2.17.1 The Tenderer shall seal the original and each copy of the tender in separate envelopes, duly marking the envelopes as “ORIGINAL” and “COPY.” The envelopes shall then be sealed in an outer envelope.

2.17.2 The inner and outer envelopes shall:

(a) be addressed to the Procuring entity at the address given in the Invitation to Tender:

(b) Bear, tender number and name in the Invitation for Tenders and the words, “DO NOT OPEN BEFORE,” (25/02/ 2023 at 10.00am)

2.17.3 The inner envelopes shall also indicate the name and address of the tenderer to enable the tender to be returned unopened in case it is declared “late”.

2.17.4 If the outer envelope is not sealed and marked as required by paragraph 2.17.2, the Procuring entity will assume no responsibility for the tender’s misplacement or premature opening.

## 2.18 **Deadline for Submission of Tenders**

2.18.1 Tenders must be received by the Procuring entity at the address specified under paragraph 2.17.2 no later than (25/02/2023 at 10.00am).

2.18.2 The Procuring entity may, at its discretion, extend this deadline for the submission of tenders by amending the tender documents in accordance with paragraph 2.6, in which case all rights and obligations of the Procuring entity and candidates previously subject to the deadline will therefore be subject to the deadline as extended

## 2.19 **Modification and Withdrawal of Tenders**

2.19.1 The tenderer may modify or withdraw its tender after the tender's submission, provided that written notice of the modification, including substitution or withdrawal of the tenders, is received by the Procuring Entity prior to the deadline prescribed for submission of tenders.

2.19.2 The Tenderer's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched in accordance with the provisions of paragraph 2.17. A withdrawal notice may also be sent by cable, telex but followed by a signed confirmation copy, postmarked not later than the deadline for submission of tenders.

2.19.3 No tender may be modified after the deadline for submission of tenders.

2.19.4 No tender may be withdrawn in the interval between the deadline for submission of tenders and the expiration of the period of tender validity specified by the tenderer on the Tender Form. Withdrawal of a tender during this interval may result in the Tenderer's forfeiture of its tender security, pursuant to paragraph 2.14.7

2.19.5 The procuring entity may at any time terminate procurement proceedings before contract award and shall not be liable to any person for the termination.

2.19.6 The procuring entity shall give prompt notice of the termination to the tenderers and on request give its reasons for termination within 14 days of receiving the request from any tenderer.

## **2.20 Opening of Tenders**

2.20.1 The Procuring entity will open all tenders in the presence of tenderers' representatives who choose to attend, at 10.00am (25/02/ 2023 at the treasury hall.

The tenderers' representatives who are present shall sign a register evidencing their attendance.

2.20.2 The tenderers' names, tender modifications or withdrawals, tender prices, discounts and the presence or absence of requisite tender security and such other details as the Procuring entity, at its discretion, may consider appropriate, will be announced at the opening.

2.20.3 The Procuring entity will prepare minutes of the tender opening.

## **2.21 Clarification of Tenders**

2.21.1 To assist in the examination, evaluation and comparison of tenders the Procuring entity may, at its discretion, ask the tenderer for a clarification of its tender. The request for clarification and the response shall be in writing, and no change in the prices or substance of the tender shall be sought, offered, or permitted.

2.21.2 Any effort by the tenderer to influence the Procuring entity in the Procuring entity's tender evaluation, tender comparison or contract award decisions may result in the rejection of the tenderers' tender.

## **2.22 Preliminary Examination**

2.22.1 The Procuring entity will examine the tenders to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed, and whether the tenders are generally in order.

2.22.2 Arithmetical errors will be rectified on the following basis. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantify, the unit price shall prevail, and the total price shall be corrected. If the candidate

does not accept the correction of the errors, its tender will be rejected, and its tender security forfeited. If there is a discrepancy between words and figures the amount in words will prevail

2.22.3 The Procuring entity may waive any minor informality or non-conformity or irregularity in a tender which does not constitute a material deviation, provided such waiver does not prejudice or effect the relative ranking of any tenderer.

2.22.4 Prior to the detailed evaluation, pursuant to paragraph 2.23 the Procuring entity will determine the substantial responsiveness of each tender to the tender documents. For purposes of these paragraphs, a substantially responsive tender is one, which conforms to all the terms and conditions of the tender documents without material deviations. The Procuring entity's determination of a tender's responsiveness is to be based on the contents of the tender itself without recourse to extrinsic evidence.

2.22.5 If a tender is not substantially responsive, it will be rejected by the Procuring entity and may not subsequently be made responsive by the tenderer by correction of the non-conformity.

## **2.23 Conversion to Single Currency**

2.23.1 Where other currencies are used, the procuring entity will convert these currencies to Kenya Shillings using the selling exchange rate on the date of tender closing provided by the Central Bank of Kenya.

## **2.24 Evaluation and Comparison of Tenders**

2.24.1 The Procuring entity will evaluate and compare the tenders which have been determined to be substantially responsive, pursuant to paragraph 2.22

2.24.2 The tender evaluation committee shall evaluate the tender within 30 days of the validity period from the date of opening the tender.

2.24.3 A tenderer who gives false information in the tender document about its qualification or who refuses to enter into a contract after notification of contract award shall be considered for debarment from participating in future public procurement.

## **2.25 Preference**

2.25.1 Preference where allowed in the evaluation of tenders shall not exceed 15%

## **2.26 Contacting the Procuring entity**

2.26.1 Subject to paragraph 2.21 no tenderer shall contact the Procuring entity on any matter related to its tender, from the time of the tender opening to the time the contract is awarded.

2.26.2 Any effort by a tenderer to influence the Procuring entity in its decisions on tender, evaluation, tender comparison, or contract award may result in the rejection of the Tenderer's tender.

## **2.27 Award of Contract**

### **(a) Post-qualification**

2.27.1 In the absence of pre-qualification, the Procuring entity will determine to its satisfaction whether the tenderer that is selected as having submitted the lowest evaluated responsive tender is qualified to perform the contract satisfactorily.

2.27.2 The determination will take into account the tenderer financial, technical, and production capabilities. It will be based upon an examination of the documentary evidence of the tenderers qualifications submitted by the tenderer, pursuant to paragraph 2.12.3 as well as such other information as the Procuring entity deems necessary and appropriate.

2.27.3 An affirmative determination will be a prerequisite for award of the contract to the tenderer. A negative determination will result in rejection of the Tenderer's tender, in which event the Procuring entity will proceed to the next lowest evaluated tender to make a similar determination of that Tenderer's capabilities to perform satisfactorily.

### **(b) Award Criteria**

2.27.4 The Procuring entity will award the contract to the successful tenderer(s) whose tender has been determined to be substantially

responsive and has been determined to be the lowest evaluated tender, provided further that the tenderer is determined to be qualified to perform the contract satisfactorily.

**(c) Procuring entity's Right to Vary quantities**

2.27.5 The Procuring entity reserves the right at the time of contract award to increase or decrease the quantity of goods originally specified in the Schedule of requirements without any change in unit price or other terms and conditions

**(d) Procuring entity's Right to accept or Reject any or All Tenders**

2.27.6 The Procuring entity reserves the right to accept or reject any tender, and to annul the tendering process and reject all tenders at any time prior to contract award, without thereby incurring any liability to the affected tenderer or tenderers or any obligation to inform the affected tenderer or tenderers of the grounds for the Procuring entity's action

**2.28 Notification of Award**

2.28.1 Prior to the expiration of the period of tender validity, the Procuring entity will notify the successful tenderer in writing that its tender has been accepted.

2.28.2 The notification of award will constitute the formation of the Contract but will have to wait until the contract is finally signed by both parties

2.28.3 Upon the successful Tenderer's furnishing of the performance security pursuant to paragraph 2.28, the Procuring entity will promptly notify each unsuccessful Tenderer and will discharge its tender security, pursuant to paragraph 2.14

**2.29 Signing of Contract**

2.29.1 At the same time as the Procuring entity notifies the successful tenderer that its tender has been accepted, the Procuring entity will send the tenderer the Contract Form provided in the tender documents, incorporating all agreements between the parties.

2.29.2 The parties to the contract shall have it signed within 30 days from the date of notification of contract award unless there is an administrative review request.

2.29.3 Within thirty (30) days of receipt of the Contract Form, the successful tenderer shall sign and date the contract and return it to the Procuring entity.

### **2.30 Performance Security**

2.30.1 Within Thirty (30) days of the receipt of notification of award from the Procuring entity, the successful tenderer shall furnish the performance security in accordance with the Conditions of Contract, in the Performance Security Form provided in the tender documents, or in another form acceptable to the Procuring entity.

2.30.2 Failure of the successful tenderer to comply with the requirements of paragraph 2.27 or paragraph 2.28 shall constitute sufficient grounds for the annulment of the award and forfeiture of the tender security, in which event the Procuring entity may make the award to the next lowest evaluated Candidate or call for new tenders.

### **2.31 Corrupt or Fraudulent Practices**

2.31.1 The Procuring entity requires that tenderers observe the highest standard of ethics during the procurement process and execution of contracts when used in the present regulations, the following terms are defined as follows;

(i) “corrupt practice” means the offering, giving, receiving, or soliciting of anything of value to influence the action of a public official in the procurement process or in contract execution; and

(ii) “fraudulent practice” means a misrepresentation of facts in order to influence a procurement process or the execution of a contract to the detriment of the Procuring entity, and includes collusive practice among tenderer (prior to or after tender submission) designed to establish tender prices at artificial non-competitive levels and to deprive the Procuring entity of the benefits of free and open competition;

2.31.2 The procuring entity will reject a proposal for award if it determines that the tenderer recommended for award has engaged in corrupt or fraudulent practices in competing for the contract in question.

2.31.3 Further a tenderer who is found to have indulged in corrupt or fraudulent practices risks being debarred from participating in public procurement in Kenya.

## **Appendix to Instructions to Tenderers**

### **Notes on the Appendix to the Instruction to Tenderers**

1. The Appendix to instructions to tenderers is intended to assist the procuring entity in providing specific information in relation to the corresponding clause in the instructions to Tenderers included in Section II and has to be prepared for each specific procurement.
2. The procuring entity should specify in the appendix information and requirements specific to the circumstances of the procuring entity, the goods to be procured and the tender evaluation criteria that will apply to the tenders.
3. In preparing the Appendix the following aspects should be taken into consideration;
  - (a) The information that specifies and complements provisions of Section II to be incorporated
  - (b) Amendments and/or supplements if any, to provisions of Section II as necessitated by the circumstances of the goods to be procured to be also incorporated
4. Section II should remain unchanged and can only be amended through the Appendix.
5. Clauses to be included in this part must be consistent with the public procurement law and the regulations.

## Appendix to Instructions to Tenderers

The following information regarding the particulars of the tender shall complement supplement or amend the provisions of the instructions to tenderers. Wherever there is a conflict between the provision of the instructions to tenderers and the provisions of the appendix, the provisions of the appendix herein shall prevail over those of the instructions to tenderers.

INSTRUCTIONS TO TENDERERS REFERENCE	PARTICULARS OF APPENDIX TO INSTRUCTIONS TO TENDERS
2.1.1	The invitation is restricted to prequalified suppliers from local community of the hospital.
2.12.2	<p><b><u>Evaluation and Comparison of Bids:</u></b>            The Bids will be evaluated in three stages as follows:  <b>A) <u>Stage One: Preliminary Evaluation Mandatory Requirements.</u></b>            The under – listed documents MUST be submitted in the following order: -</p> <ol style="list-style-type: none"> <li>1. Certificate of Registration / incorporation</li> <li>2. Valid Tax Compliance or Exemption Certificate.</li> <li>3. Valid Single Business Permit from the county government of Elgeyo Marakwet or any other county</li> <li>4. CR12 or name of sole proprietor (for sole proprietor businesses) or names of partners(partnerships)</li> <li>5. Duly filled, signed and stamped business questionnaire.</li> <li>6. Duly filled tender document /schedule of items as required.</li> <li>7. Valid License in pharmacy and poison Board</li> <li>8. Bidders are required to provide evidence of availability of financial resources to support the resulting contractual obligations in either form of liquid assets, line of credit or any other financial means.</li> <li>9. Indicate delivery timelines after being given an order</li> </ol> <p><b>N/B:-100% compliance by the tenderers shall be required to proceed to the next evaluation stage. Failure to provide any of the requirements shall lead to disqualification.</b></p> <p style="text-align: center;"><b>-Previous poor performance record will led to automatic disqualification.</b></p> <p><b><u>Stage Two: Technical Evaluation</u></b></p> <p>Candidates that will have passed mandatory requirements and offering items which are compliant with the desired technical specifications will have their sample evaluated. Pass</p>

	<p>mark shall be 70%.</p> <p>This shall be conducted based on the documents submitted demonstrating proof of past experience (40%) and financial capability of the tenderer (60%). A bidder must score at least <b>(70%) to qualify for further evaluation.</b></p>
	<p><b><u>C) Stage Three: Financial Evaluation.</u></b></p> <ul style="list-style-type: none"> <li>• <b>Minimum of 90 days credit period shall be required after delivery, inspection and acceptance of the items.</b></li> <li>• If there is a tie on the lowest quoted price for any item/batch, fairness and equity shall be considered for award.</li> <li>• <b>Unrealistic low or high prices shall be rejected, depending on the prevailing market price of that brand tendered.</b></li> <li>• Bids shall be evaluated and awarded based on the quoted prices and period of delivery after receiving an order. In addition, the <b>lowest evaluated bidder per item</b> will be awarded the contract on as and when required basis for the FY 2023-2025.</li> </ul>
<p><b>2.18.1</b></p>	<p>bids must be submitted on or before the closing date, not later <b>25<sup>th</sup> FEB, 2023 at 10.00 a.m.</b></p>
<p><b>2.20.1</b></p>	<p>The bids will be opened in the presence of bidder’s representatives, who choose to attend at <b>10.00 a.m. on 24<sup>th</sup>FEB , 2023.</b></p>

2.27.4	The Hospital reserves the right to award the contract in whole or in part without any change in the unit price
2.27.5	The Hospitals reserves the right at any given time of after contract award to decide the quantities required at any given time on as when required basis.
2.27.6	<i>Signing of Contract – contract to be valid for 1yr and further extension of 1 year subject to satisfactory performance</i>

**SECTION III: GENERAL CONDITIONS OF CONTRACT**

**Table of Clauses**

	Page
3.1 Definitions.....	24
3.2 Application.....	24
3.3 Country of Origin.....	24
3.4 Standards.....	25
3.5 Use of Contract documents and information.....	25
3.6 Patent Rights.....	25
3.7 Performance security.....	25
3.8 Inspection and Tests.....	26

3.9	Packing.....	27
3.10	Delivery and documents.....	27
3.11	Insurance .....	27
3.12	Payment.....	27
3.13	Price.....	28
3.14	Assignments.....	28
3.15	Sub contracts.....	28
3.16	Termination for default.....	28
3.17	Liquidated damages.....	29
3.18	Resolution of Disputes.....	29
3.19	Language and law.....	29
3.20	Force Majeure.....	29

## **SECTION III - GENERAL CONDITIONS OF CONTRACT**

### **3.1 Definitions**

3.1.1 In this Contract, the following terms shall be interpreted as indicated:-

- (a) “The Contract” means the agreement entered into between the Procuring entity and the tenderer, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.
- (b) “The Contract Price” means the price payable to the tenderer under the Contract for the full and proper performance of its contractual obligations
- (c) “The Goods” means all of the equipment, machinery, and/or other materials, which the tenderer is required to supply to the Procuring entity under the Contract.
- (d) “The Procuring entity” means the organization purchasing the Goods under this Contract.
- (e) “The Tenderer” means the individual or firm supplying the Goods under this Contract.

### **3.2 Application**

3.2.1 These General Conditions shall apply in all Contracts made by the Procuring entity for the procurement installation and commissioning of equipment

### **3.3 Country of Origin**

3.3.1 For purposes of this clause, “Origin” means the place where the Goods were mined, grown or produced.

3.3.2 The origin of Goods and Services is distinct from the nationality of the tenderer.

### **3.4 Standards**

3.4.1 The Goods supplied under this Contract shall conform to the standards mentioned in the Technical Specifications.

### **3.5 Use of Contract Documents and Information**

3.5.1 The tenderer shall not, without the Procuring entity's prior written consent, disclose the Contract, or any provision therefore, or any specification, plan, drawing, pattern, sample, or information furnished by or on behalf of the Procuring entity in connection therewith, to any person other than a person employed by the tenderer in the performance of the Contract.

3.5.2 The tenderer shall not, without the Procuring entity's prior written consent, make use of any document or information enumerated in paragraph 3.5.1 above

3.5.3 Any document, other than the Contract itself, enumerated in paragraph 3.5.1 shall remain the property of the Procuring entity and shall be returned (all copies) to the Procuring entity on completion of the Tenderer's performance under the Contract if so required by the Procuring entity

### **3.6 Patent Rights**

3.6.1 The tenderer shall indemnify the Procuring entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof in the Procuring entity's country

### **3.7 Performance Security**

3.7.1 Within thirty (30) days of receipt of the notification of Contract award, the successful tenderer shall furnish to the Procuring entity the performance security in the amount specified in Special Conditions of Contract.

3.7.2 The proceeds of the performance security shall be payable to the Procuring entity as compensation for any loss resulting from the Tenderer's failure to complete its obligations under the Contract.

3.7.3 The performance security shall be denominated in the currency of the Contract, or in a freely convertible currency acceptable to the Procuring entity and shall be in the form of a bank guarantee or an irrevocable letter of credit issued by a reputable bank located in Kenya or abroad, acceptable to the Procuring entity, in the form provided in the tender documents.

3.7.4 The performance security will be discharged by the Procuring entity and returned to the Candidate not later than thirty (30) days following the date of completion of the Tenderer's performance obligations under the Contract, including any warranty obligations, under the Contract

### **3.8 Inspection and Tests**

3.8.1 The Procuring entity or its representative shall have the right to inspect and/or to test the goods to confirm their conformity to the Contract specifications. The Procuring entity shall notify the tenderer in writing in a timely manner, of the identity of any representatives retained for these purposes.

3.8.2 The inspections and tests may be conducted in the premises of the tenderer or its subcontractor(s), at point of delivery, and/or at the Goods' final destination. If conducted on the premises of the tenderer or its subcontractor(s), all reasonable facilities and assistance, including access to drawings and production data, shall be furnished to the inspectors at no charge to the Procuring entity.

3.8.3 Should any inspected or tested goods fail to conform to the Specifications, the Procuring entity may reject the equipment, and the tenderer shall either replace the rejected equipment or make alterations necessary to make specification requirements free of costs to the Procuring entity.

3.8.4 The Procuring entity's right to inspect, test and where necessary, reject the goods after the Goods' arrival shall in no way be limited or waived by reason of the equipment having previously been inspected, tested and passed by the Procuring entity or its representative prior to the equipment delivery.

3.8.5 Nothing in paragraph 3.8 shall in any way release the tenderer from any warranty or other obligations under this Contract.

### **3.9 Packing**

3.9.1 The tenderer shall provide such packing of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in the Contract.

3.9.2 The packing, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract

### **3.10 Delivery and Documents**

3.10.1 Delivery of the Goods shall be made by the tenderer in accordance with the terms specified by Procuring entity in its Schedule of Requirements and the Special Conditions of Contract

### **3.11 Insurance**

3.11.1 The Goods supplied under the Contract shall be fully insured against loss or damage incidental to manufacturer or acquisition, transportation, storage, and delivery in the manner specified in the Special conditions of contract.

### **3.12 Payment**

3.12.1 The method and conditions of payment to be made to the tenderer under this Contract shall be specified in Special Conditions of Contract

3.12.2 Payments shall be made promptly by the Procuring entity as specified in the contract

### **3.13 Prices**

3.13.1 Prices charged by the tenderer for goods delivered and services performed under the Contract shall not, with the exception of any price adjustments authorized in Special Conditions of Contract, vary from the prices by the tenderer in its tender.

3.13.2 Contract price variations shall not be allowed for contracts not exceeding one year (12 months)

3.13.3 Where contract price variation is allowed, the variation shall not exceed 10% of the original contract price.

3.13.4 Price variation request shall be processed by the procuring entity within 30 days of receiving the request.

### **3.14. Assignment**

3.14.1 The tenderer shall not assign, in whole or in part, its obligations to perform under this Contract, except with the Procuring entity's prior written consent

### **3.15 Subcontracts**

3.15.1 The tenderer shall notify the Procuring entity in writing of all subcontracts awarded under this Contract if not already specified in the tender. Such notification, in the original tender or later, shall not relieve the tenderer from any liability or obligation under the Contract

### **3.16 Termination for default**

3.16.1 The Procuring entity may, without prejudice to any other remedy for breach of Contract, by written notice of default sent to the tenderer, terminate this Contract in whole or in part

- (a) if the tenderer fails to deliver any or all of the goods within the period(s) specified in the Contract, or within any extension thereof granted by the Procuring entity
- (b) if the tenderer fails to perform any other obligation(s) under the Contract
- (c) if the tenderer, in the judgment of the Procuring entity has engaged in corrupt or fraudulent practices in competing for or in executing the Contract

3.16.2 In the event the Procuring entity terminates the Contract in whole or in part, it may procure, upon such terms and in such manner as it deems appropriate, equipment similar to those undelivered, and the

tenderer shall be liable to the Procuring entity for any excess costs for such similar goods.

### **3.17 Liquidated Damages**

3.17.1. If the tenderer fails to deliver any or all of the goods within the period(s) specified in the contract, the procuring entity shall, without prejudice to its other remedies under the contract, deduct from the contract prices liquidated damages sum equivalent to 0.5% of the delivered price of the delayed items up to a maximum deduction of 10% of the delayed goods. After this the tenderer may consider termination of the contract.

### **3.18 Resolution of Disputes**

3.18.1 The procuring entity and the tenderer shall make every effort to resolve amicably by direct informal negotiation and disagreement or dispute arising between them under or in connection with the contract

3.18.2 If, after thirty (30) days from the commencement of such informal negotiations both parties have been unable to resolve amicably a contract dispute, either party may require adjudication in an agreed national or international forum, and/or international arbitration.

### **3.19 Language and Law**

3.19.1 The language of the contract and the law governing the contract shall be English language and the Laws of Kenya respectively unless otherwise stated.

### **3.20 Force Majeure**

3.20.1 The tenderer shall not be liable for forfeiture of its performance security or termination for default if and to the extent that it's delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.

## **SECTION IV - SPECIAL CONDITIONS OF CONTRACT**

### **Notes on Special Conditions of Contract**

The clauses in this section are intended to assist the procuring entity in providing contract-specific information in relation to corresponding clauses in the General Conditions of Contract.

The provisions of Section IV complement the General Conditions of Contract included in Section III, specifying contractual requirements linked to the special circumstances of the procuring entity and the goods being procured. In preparing Section IV, the following aspects should be taken into consideration.

- (a) Information that complement provisions of Section III must be incorporated and
- (b) Amendments and/or supplements to provisions of Section III, as necessitated by the circumstances of the goods being procured must also be incorporated.

## **SECTION IV - SPECIAL CONDITIONS OF CONTRACT**

4.1. Special Conditions of Contract shall supplement the General Conditions of Contract. Whenever there is a conflict, between the GCC and the SCC, the provisions of the SCC herein shall prevail over these in the GCC.

42. Special conditions of contract as relates to the GCC

### **CONDITIONS TO BE MET BY THE TENDERER**

#### ***4.1.1 Must submit copies of the following documents;***

- (a) Certificate of Registration / incorporation**
- (b) Valid Tax Compliance or Exemption Certificate.**
- (c) Valid Single Business Permit from the county government of Elgeyo Marakwet or any other county**
- (d) Valid License in pharmacy and poison board**
- (e) Duly filled, signed and stamped business questionnaire.**
- (f) Duly filled tender document /schedule of items as required.**
- (g) Bidders are required to provide evidence of availability of financial resources to support the resulting contractual obligations in either form of liquid assets, line of credit or any other financial means.**
- (h) Indicate delivery timelines after being given an LPO**

4.1.3

*(Complete as necessary)*

## **SECTION V - TECHNICAL SPECIFICATIONS**

### **5.1 General**

- 5.1.1 These specifications describe the requirements for goods. Tenderers are requested to submit with their offers the detailed specifications, drawings, catalogues, etc for the products they intend to supply
- 5.1.2 Tenderers must indicate on the specifications sheets whether the equipment offered comply with each specified requirement.
- 5.1.3 All the dimensions and capacities of the equipment to be supplied shall not be less than those required in these specifications. Deviations from the basic requirements, if any shall be explained in detail in writing with the offer, with supporting data such as calculation sheets, etc. The procuring entity reserves the right to reject the products, if such deviations shall be found critical to the use and operation of the products.
- 5.1.4 The tenderers are requested to present information along with their offers as follows:
- (i) Shortest possible delivery period of each product
  - (ii) Information on proper representative and/or workshop for back-up service/repair and maintenance including their names and addresses.

**5.2 PARTICULARS/SCHEDULE OF REQUIREMENTS:**

**SECTION VII - PRICE SCHEDULE FOR GOODS**

**LOT 1: RADIOLOGY MATERIALS**

<b>Item No</b>	<b>Item Description</b>	<b>Unit of issue</b>	<b>Unit Price</b>	<b>Total cost(ksh)</b>	<b>Brand (Where applicable)</b>	<b>Delivery Period after receiving the LPO</b>
1.	Dry pro laser films (Konika)CT FILMS(35*43CM)	As and When Required				
2.	CT connecting tube with dual check valve	As and When Required				
3.	Dual head injectors	As and When Required				
4.	Syringes extension lines (perfusers)	As and When Required				
5.	Contrast media (Omnipaque)350mg/100ml	As and When Required				
6.	Ultravist 370mg/100ml	As and When Required				
7.	Ultravist 370mg/200ml	As and When Required				
8.	Dry view DVE laser imaging film 20x25cm (8x10 Inch)carestream	As and When Required				
9.	Dry view DVM mammography laser film 20x25cm (8x10inches)carestream	As and When Required				
10.	Barium Sulphate powder-microbar powder 1 tin 3.5kg	As and When Required				
11.	Barium sulphate suspension 0.95gm/ml,1ltr	As and When Required				
12.	Thermal printing					

<b>Item No</b>	<b>Item Description</b>	<b>Unit of issue</b>	<b>Unit Price</b>	<b>Total cost(ksh)</b>	<b>Brand (Where applicable)</b>	<b>Delivery Period after receiving the LPO</b>
	papers (ultrasound) highgloss					
13.	Gasrogratin 100ml	As and When Required				
14.	Ultrasound gel 5ltr tins	As and When Required				
15.	HSG tray – complete set	As and When Required				
16.	Emergency tray with trolley	As and When Required				
17.	Trip stand	As and When Required				
18.	Infection prevention colour coated waste pin	As and When Required				
19.	Linen printed CT/Radiology	As and When Required				
20.	Water dispenser with disposable cups	As and When Required				
21.	Intra-oral dental films size 3x4cm	As and When Required				
22.	Intra-oral dental films 2x3.5cm	As and When Required				
23.	Occlusal Films	As and When Required				
24.	Intra- oral dental films (bitewings)	As and When Required				
25.	Dental film processor (automatic)	As and When Required				

Item No	Item Description	Unit of issue	Unit Price	Total cost(ksh)	Brand (Where applicable)	Delivery Period after receiving the LPO
26.	Ultrasound Envelopes A5	As and When Required				
27.	X –ray envelopes 25x32cm	As and When Required				
28.	CT scan envelopes size (37x46cm)	As and When Required				
29.	Ultrasound tissue papers	As and When Required				
30.	AGFA dry star digital printer 5302 x-ray	As and When Required				
31.	FUGI printer x-ray printer	As and When Required				
32.	Compact disc – CD-RW,700mb/80min(Re-writable)	As and When Required				
33.	DVD – R 4.7GB/120 Min multispeed	As and When Required				
34.	Thermo luminescent Dosimeters(TLDs)	As and When Required				
35.	DirectVista Blue-T FILS 14*17M.35*43cm(CO DONICS)	As and When Required				

Prices to include all taxes applicable and delivery must be quoted in Kenya Shillings (No special delivery costs shall be accepted)

Tenderer's name \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_

**Note:** In case of discrepancy between unit price and total, the unit price shall prevail.

**LOT II: RENAL CONSUMABLES**

<b>Item No</b>	<b>Item Description</b>	<b>Unit of issue</b>	<b>Unit Price</b>	<b>Total cost (ksh)</b>	<b>Brand (Where applicable)</b>	<b>Delivery Period after receiving the LPO</b>
1.	Haemodialyzers 1.9m2	As and When Required				
2.	Haemodialyzers 1.8M2	As and When Required				
3.	Bicarbonate powder(750mg)	As and When Required				
4.	Acid concentrate (Haemosafe )	As and When Required				
5.	Acid concentrate (Lympha 3.4ltrs)	As and When Required				
6.	Bloodlines	As and When Required				
7.	Citric acid 5ltr	As and When Required				
8.	Resin balls (Bag of 25kg)	As and When Required				
9.	Erythropoetin 5000IU	As and When Required				
10.	Primapore 10 x 25m	As and When Required				
11.	Fistula needles g16	As and When Required				
12.	Iron sucrose	As and When Required				
13.	Heparin 5000iu	As and When Required				
14.	Renal catheters	As and When				

Item No	Item Description	Unit of issue	Unit Price	Total cost (ksh)	Brand (Where applicable)	Delivery Period after receiving the LPO
		Required				
15.	Oxagal 5 ltrs	As and When Required				
	<b>TOTAL PRICE</b>					

Prices to include all taxes applicable and delivery must be quoted in Kenya Shillings (No special delivery costs shall be accepted)

Tenderer's name \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_

**Note:** In case of discrepancy between unit price and total, the unit price shall prevail.

### **LOT III: NON-PHARMACEUTICAL**

Item No	Item Description	Unit of issue	Unit Price	Total cost (ksh)	Brand (Where applicable)	Delivery Period after receiving the LPO
1.	Abdominal Gauze Swab X-Ray Detect.-24 Ply 22.5Cm X 22.5Cm	As and When Required				
2.	Alcohol Preinjection Swabs	As and When Required				
3.	Orange Sticks With Cotton Wool Swab	As and When Required				

4.	Eye Pad, Size (1 5/8)" X (2 5/8)"	As and When Required				
5.	Autoclaving Tape - 3/4 ( 19Mm X 50M)	As and When Required				
6.	Bandages Cotton Crepe Ridged/Wrinkled Elastic -7.5Cm X 4.5M Bp	As and When Required				
7.	Bandages Cotton Crepe Ridged/Wrinkled Elastic -7.5cm X 4.5m Bp	As and When Required				
8.	Bandages Cotton Crepe Ridged/Wrinkled Elastic-10Cm X 4.5M Bp	As and When Required				
9.	Bandages Cotton Crepe Ridged/Wrinkled Elastic-10Cm X 4.5M Bp	As and When Required				
10.	Bandages Cotton Crepe Ridged/Wrinkled Elastic -15Cm X 4.5M Bp	As and When Required				
11.	Bandages Cotton Crepe Ridged/Wrinkled Elastic- 5Cm X 4.5M Bp	As and When Required				
12.	Bandages Cotton Crepe Ridged/Wrinkled Elastic- 5Cm X 4.5M Bp	As and When Required				
13.	Bandages Cotton L/Woven Bp - 7.5Cm X 4.5M	As and When Required				

14.	Bandages Cotton L/Woven Bp - 5Cm X 4.5M Bp	As and When Required				
15.	Bandages Cotton L/Woven Bp- 10Cm X 4.5M	As and When Required				
16.	Bandages Cotton L/Woven Bp - 15Cm X 4.5M	As and When Required				
17.	Bandages Elastic Skin Adhesive Porous Plaster Bp-10Cmx4.5M	As and When Required				
18.	Bandages Elastic Skin Adhesive Porous Plaster- 7.5Cmx4.5M Bp	As and When Required				
19.	Surgical Blades With Handle Size 11	As and When Required				
20.	Brain Swabs	As and When Required				
21.	Cotton Gauze Plain L/Wvn Absorb- 91Cmx91M 1500G Bp	As and When Required				
22.	Cotton Gauze X- Ray Detectable L/Wvn Absorb- 36X100 Yds 1500G Bp	As and When Required				
23.	Cotton Wool Absorb White - 400 Gms Bp	As and When Required				
24.	Gauze Compress Swabs 8 Ply 10cm X 10cm, Sterile	As and When Required				
25.	Gauze Swabs Dressing 12 Ply 10Cm X 10Cm, Sterile	As and When Required				

26.	Micropore Tape Size - 2.3Cm X9.44M	As and When Required				
27.	Micropore Tape Adhesive 5Cm X 4.5M	As and When Required				
28.	Micropore Tape Adhesive 7.5Cm X 4.5M	As and When Required				
29.	Adhesive Tape Surgical Porous, Transparent 2.5cm x 9.14M	As and When Required				
30.	Paraffin Gauze Dressing 10Cm X 10Cm	As and When Required				
31.	Dressing, Iv Cannula, Adhesive-Sz 7Cm X 8.5Cm	As and When Required				
32.	Skin Grafting Blade Standard	As and When Required				
33.	Skin Grafting Blade No. 3	As and When Required				
34.	Skin Grafting Blade No.4	As and When Required				
35.	Surgical Blades Size 15, S.S/C.S On Disp Bp Handle Size 6	As and When Required				
36	Surgical Blade with Handle, Size 15	As and When Required				
37	Surgical Blades Size 23, S.S/C.S. On Disp Bp Handle	As and When Required				
38	Zinc Oxide Strapping - Size 10Cm X 4.5M Bpc	As and When Required				
39	Zinc Oxide	As and				

	Strapping - Size 5Cm 4.5M Bpc	When Required				
40	Zinc Oxide Strapping - Size 7.5Cm X 4.5M Bpc	As and When Required				
	Bandages Plaster Of Paris - 15 Cm X 2.70M Bp (Gypsona) -Ssd	As and When Required				
41	Bandages Plaster Of Paris - 20 Cm X 2.70M Bp (Gypsona) -Ssd	As and When Required				
42	Bandages Plaster Of Paris - 7.5 Cm X 2.70M Bp (Gypsona) -Ssd	As and When Required				
43	Bandages Plaster Of Paris - 10 Cm X 2.70M Bp (Gypsona) -Ssd	As and When Required				
44	N95 Particulate Respirator Mask	As and When Required				
45	Surgical caps (disposable) sky blue/ light green	As and When Required				
46	Absorbent Material For Incontinence	As and When Required				
47	Surgical Masks Disposable 3 Ply	As and When Required				
48.	Adhensive Skin Traction Kit, Adult	As and When Required				
49.	Traction Kit, Skin, Child	As and When Required				
50.	Spinal Corsets Lumbo - Sacral(Ls)	As and When Required				
51.	Spinal Corsets - Thoraco-Lumbar	As and When				

	(TI)	Required				
52.	Orthopaedic /Undercast Padding (3") 7.5Cm*2.7M (Soft Bandage)	As and When Required				
53.	Orthopaedic /Undercast Padding (6") 15Cm*2.7M (Soft Bandage)	As and When Required				
54.	Orthopaedic /Undercast Padding (8") 20Cm*2.7M (Soft Bandage)	As and When Required				
55.	Orthopaedic/Undercast Padding (4") 10Cm*2.7M (Soft Bandage)	As and When Required				
56.	Cervical Rigid Collar (Large)	As and When Required				
57.	Cervical Rigid Collar (Medium)	As and When Required				
58.	Airway Guedel - Size 0	As and When Required				
59.	Airway Guedel - Size 00	As and When Required				
60.	Airway Guedel - Size 1	As and When Required				
61.	Airway Guedel - Size 2	As and When Required				
62.	Airway Guedel - Size 4	As and When Required				
63.	Airway Guedel - Size 3	As and When Required				
64.	Airway Guedel - Size 5	As and When				

		Required				
65.	Airways Laryngeal Mask No 2	As and When Required				
66.	Airways Laryngeal Mask No 2.5	As and When Required				
67.	Airways Laryngeal Mask No 3	As and When Required				
68.	Airways Laryngeal Mask No 4	As and When Required				
69.	Airways Laryngeal Mask No 5	As and When Required				
70.	Ambu Bags With Masks - Adult	As and When Required				
71.	Ambu Bagswith Masks - Child	As and When Required				
72.	Ambu Bags With Masks - Neonate	As and When Required				
73.	Mask, Anaesthetic - Child Sizes 1 & 2	As and When Required				
74.	Mask, Anaesthetic - Adult Sizes 3, 4 & 5	As and When Required				
75.	Non Breather Masks Adult	As and When Required				
76.	Non Breather Masks Paediatric	As and When Required				
77.	Nasal Prongs For Oxygen Delivery - Adult Size	As and When Required				
78.	Nasal Prongs For Oxygen Delivery - Paed Size	As and When Required				
79.	Nasal Prongs For	As and When				

	Oxygen Delivery - Neonatal Size	Required				
80.	Nebulizing Kit, Adult	As and When Required				
81.	Nebulizing Kit, Paediatric	As and When Required				
82.	Oxygen Mask With Strap - Adult	As and When Required				
83.	Oxygen Maskwith Strap - Child Size	As and When Required				
84.	Oxygen Mask With Strap - Neonate Size	As and When Required				
85.	Wooden Tongue Depressor 140Mmx19Mm	As and When Required				
86.	Catheter Foleys' 16Fg 30Mls-3 Way	As and When Required				
87.	Catheter Foleys' 18Fg 30Mls-3 Way	As and When Required				
88.	Catheter Foleys' 20Fg 30Mls-3 Way	As and When Required				
89.	Catheters Folley's 30ml - Size - 22FG 3 Way (Siliconised)	As and When Required				
90.	Catheters Folley's 30ml - Size - 24FG 3 Way (Siliconised)	As and When Required				
91.	Catheters Folley'S 30MI - Size - 16 FG	As and When Required				
92.	Catheters Folley'S 30MI - Size 18 FG 2 Way	As and When Required				
93.	Catheters Folley'S 30MI - Size - 12	As and When				

	FG 2 Way	Required				
94.	Catheters Folley'S 30MI - Size - 14 FG 2 Way	As and When Required				
95.	Catheters Folley'S 30MI - Size - 20 FG 2 Way	As and When Required				
96.	Catheters Folley'S 3 -5MI - Size - 10 FG 2 Way	As and When Required				
97.	Catheters Folley'S 3 - 5MI - Size - 8 FG 2 Way	As and When Required				
98.	Catheters Folley'S 5MI - Size - 6 FG 2 Way	As and When Required				
99.	Condom Catheters/ Uridoms Large	As and When Required				
100.	Condom Catheters/ Uridoms Medium	As and When Required				
101.	Condom Catheters/ Uridoms Small	As and When Required				
102.	Catheters Nelaton Fg 12	As and When Required				
103.	Nelaton Catheter Fg14, One Way	As and When Required				
104.	Catheters Nelaton Fg 16	As and When Required				
105.	Suction Catheters - Size 14 Fg	As and When Required				
106.	Suction Catheters - Size 18 Fg	As and When				

		Required				
107.	Suction Catheters - Size 8 Fg	As and When Required				
108.	Suction Catheters - Size 10 Fg	As and When Required				
109.	Suction Catheters - Size 12 Fg	As and When Required				
110.	Suction Catheter Size 16 Fg	As and When Required				
111.	Suction Catheters - Size 4 Fg	As and When Required				
112.	Suction Catheters - Size 6 Fg	As and When Required				
113.	Suction Catheters With Regulatory Valve - Size 4 Fg	As and When Required				
114.	Suction Catheters With Regulatory Valve FR 6	As and When Required				
115.	Suction Catheters With Regulatory Valve - Size 8 FG	As and When Required				
116.	Suction Catheters With Regulatory Valve - Size 10 Fg	As and When Required				
117.	Suction Catheters With Regulatory Valve FR 12	As and When Required				
118.	Suction Catheters With Regulatory Valve - Size 14 FG	As and When Required				
119.	Suction Catheters	As and				

	With Regulatory Valve FR 16	When Required				
120.	Suction Catheters With Regulatory Valve - Size 18 Fg	As and When Required				
121.	Colostomy Bag, 250Mm X 140Mm, Adult	As and When Required				
122.	Colostomy Bag, Size 280Mm X 160Mm, Adult	As and When Required				
123.	Colostomy Bag, Paediatric 150Mm X 150Mm	As and When Required				
124.	Colostomy Bag, Size 180mm x 150mm, Paediatric	As and When Required				
125.	Urine Collector Bag 100ml	As and When Required				
126.	Cord Clamp (Umbilical)	As and When Required				
127.	Cord Clamp (Umbilical)	As and When Required				
128.	Identification Band - Baby	As and When Required				
129.	Identification Band - Baby	As and When Required				
130.	Identification Band - Adult	As and When Required				
131.	Maternity Pads (Towels)	As and When Required				
132.	Diapers (Extra Large) Adult	As and When Required				
133.	Diapers (Large) Adult	As and When Required				

134.	Diapers (Medium) Adult	As and When Required				
135.	Dispensing envelope, Plastic, Resealable (1x1000)	As and When Required				
136.	Dispensing Envelopes (Khaki)	As and When Required				
137.	Dispensing Label Self-Adhesive x 200Pc	As and When Required				
138.	Endotracheal Cuffed Tube - Size 6.5	As and When Required				
139.	Endotracheal Cuffed Tube - Size 7.0	As and When Required				
140.	Endotracheal Cuffed Tube - Size 7.5	As and When Required				
141.	Endotracheal Tube Cuffed Size 3.5mm	As and When Required				
142.	Endotracheal Tube Size 5.0 Cuffed	As and When Required				
143.	Endotracheal Cuffed Tube - Size 5.5	As and When Required				
144.	Endotracheal Tube Uncuffed - Size 2.5mm	As and When Required				
145.	Endotracheal Tube Uncuffed - Size 3.0mm	As and When Required				
146.	Endotracheal Tube Uncuffed - Size 3.5mm	As and When Required				
147.	Endotracheal Cuffed Tube - Size 8.0	As and When Required				
148.	Endotracheal Tube Cuffed Size	As and When				

	4.5mm	Required				
149.	Endotracheal Tube Uncuffed - Size 4.5mm	As and When Required				
150.	Feeding Tubes - Size 10 Fg	As and When Required				
151.	Feeding Tubes - Size 14 Fg	As and When Required				
152.	Feeding Tubes - Size 4 FG	As and When Required				
153.	Feeding Tubes - Size 20 FG	As and When Required				
154.	Feeding Tubes - Size 22 FG	As and When Required				
155.	Feeding Tubes - Size 12 FG	As and When Required				
156.	Feeding Tubes - Size 16 FG	As and When Required				
157.	Feeding Tubes - Size 18 FG	As and When Required				
158.	Feeding Tubes - Size 6 FG	As and When Required				
159.	Feeding Tubes - Size 8 FG	As and When Required				
160.	Bag, Enteral Feeding Set With Administration Set (1.2L)	As and When Required				
161.	Rectal Tube - Ch24 L30Cm Ster Disp	As and When Required				
162.	Rectal Tube - Ch20 L30Cm Ster Disp	As and When Required				
163.	Tracheostomy Tube - Size 5.5 Cuffed	As and When Required				

164.	Tracheostomy Tube - Size 5.0 Cuffed	As and When Required				
165.	Tracheostomy Tube - Size 6.5 Uncuffed	As and When Required				
166.	Tracheostomy Tube - Size 3.5 Uncuffed	As and When Required				
167.	Tracheostomy Tube - Size 4.0 Cuffed	As and When Required				
168.	Tracheostomy Tube - Size 4.5 Cuffed	As and When Required				
169.	Tracheostomy Tube - Size 6.0 Uncuffed	As and When Required				
170.	Tracheostomy Tube - Size 7.0 Cuffed	As and When Required				
171.	Tracheostomy Tube Size 8.0 Cuffed	As and When Required				
172.	Urine Bags Grad.With Inlet&Outlet - 2000Mls	As and When Required				
173.	Yankauer Suction Tube With Handle	As and When Required				
174.	ECG Electrode (Child-30-40Mm)	As and When Required				
175.	ECG Electrode (Adult-50-60Mm)	As and When Required				
176.	Blood Giving Sets Double Chamber	As and When Required				
177.	Blood Giving Sets Double Chamber	As and When Required				
178.	Infusion Giving Sets With Air	As and When Required				

	Inlet					
179.	Solusets For Blood	As and When Required				
180.	Solusets For Fluids	As and When Required				
181.	Tourniquet	As and When Required				
182.	Under water seal drainage bottle	As and When Required				
183.	Gloves Surgeon - Size 6.5 Sterile	As and When Required				
184.	Gloves Surgeon - Size 8.0 Sterile	As and When Required				
185.	Gloves Surgeon, Size 7.5 Sterile (Powder Free)	As and When Required				
186.	Gloves Gynaecological Size 7.5" Sterile	As and When Required				
187.	Gloves Gynaecological Size 7.5" Sterile	As and When Required				
188.	Gloves Latex Examination Disposable Medium	As and When Required				
189.	Gloves Surgeon - Size 7.0 Sterile	As and When Required				
190.	Gloves Surgeon - Size 7.5 Sterile	As and When Required				
191.	Intercostal Drainage Tubes With Trocar- Size 24 Fg	As and When Required				
192.	Intercostal Drainage Tube With Trocar Size Size 16Fg	As and When Required				

193.	Intercostal Drainage Tube With Trocar Size 28Fg	As and When Required				
194.	Intercostal Drainage Tube With Trocar Size Size 30Fg	As and When Required				
195.	Intercostal Drainage Tubes - Size 28 Fg	As and When Required				
196.	Intercostal Drainage Tubes - Size 32 Fg	As and When Required				
197.	Mini Close Wound Drainage/Suction Unit	As and When Required				
198.	Heat Moisture Exchange Bacterial/Viral Filter - Adult	As and When Required				
199.	Heat Moisture Exchange Bacterial/Viral Filter - Paediatric	As and When Required				
200.	Intraocular Lenses--+21D, Posterior	As and When Required				
201.	Intraocular Lenses--+22D, Posterior	As and When Required				
202.	Intraocular Lenses 23 Diopters, Posterior	As and When Required				
203.	I.V. Cannulaes - 16G	As and When Required				
204.	I.V. Cannulaes - 26G	As and When Required				
205.	I.V. Cannulaes - 18G	As and When Required				
206.	I.V. Cannulaes -	As and				

	20G	When Required				
207.	I.V. Cannulaes - 22G	As and When Required				
208.	I.V. Cannulaes - 24G	As and When Required				
209.	Keratome Knives	As and When Required				
210.	Crescent Knives	As and When Required				
211.	Paracentesis Knife	As and When Required				
212.	Measuring Spoon Double Sided (2.5/5MI)	As and When Required				
213.	Medical Supplies Register	As and When Required				
214.	Medicines Register	As and When Required				
215.	Prescription Pads	As and When Required				
216.	Stock Control Cards	As and When Required				
217.	Polythene Bags / Liners Black - 30 Litres	As and When Required				
218.	Polythene Bags / Liners Red - 30 Litres	As and When Required				
219.	Polythene Bags / Liners Yellow - 30 Litres	As and When Required				
220.	Polythene Bags / Liners Red - 50Litres	As and When Required				
221.	Polythene Bags / Liners Black - 50Litres	As and When Required				

222.	Polythene Bags / Liners Yellow - 50Litres	As and When Required				
223.	Safety Boxes	As and When Required				
224.	Needles Disposabe G21	As and When Required				
225.	Needles Disposable G23	As and When Required				
226.	Spinal Needle - 22G (0.9X90Mm) 3 1/2" Ster Disp	As and When Required				
227.	Spinal Needle (0.9*90mm) G22, 1.65	As and When Required				
228.	Spinal Needle - 22G (0.9X90Mm) Ster Disp	As and When Required				
229.	Spinal Needle- 25G x 90Mm, (3 1/2") Sterile, Disp	As and When Required				
230.	Hemostat Absorbable 10Cm * 20Cm	As and When Required				
231.	Hemostat Absorbable 5Cm * 7.5Cm	As and When Required				
232.	Suture Polyglactin Coated, 1, 75Cm, 40Mm, Rcn, 3/8 C	As and When Required				
233.	Suture, Polyglycolic Acid, No.3/0, 30Mm 1/2C Rcn, 75Cm	As and When Required				
234.	Suture polyglycolic acid 2/0 90cm 1/2c 36mm TCN	As and When Required				
235.	Suture Polyglycolic No	As and When				

	2/0, 75cm ½C 31mm RBN (Synthecon Brand)	Required				
236.	Suture Polyglycolic No 2/0, 75cm ½C 40mm RBN (Synthecon Brand)	As and When Required				
237.	Suture Polyglycolic No 1, 75cm 3/8C 40mm RCN (Sythecon Brand)	As and When Required				
238.	Suture Polyglactin 910 Coated No.2,1/2 Circle,48Mm.75C m Rcn (Ethicon) - Ssd	As and When Required				
239.	Suture Polyglactin 910 Coated No.2/0,3/8 Circle,36Mm.75C m Rcn (Ethicon) - Ssd	As and When Required				
240.	Suture Polyglactin 910 Coated No.2,1/2 Circle,45Mm.75C m Rbn (Ethicon) - Ssd	As and When Required				
241.	Suture Nylon No.2/0,3/8 Circle,45Mm.100 Cm Rcn (Ethilon) - Ssd	As and When Required				
242.	Suture Polyglactin 910 Coated No.2/0,1/2 Circle,40Mm.75C m Rbn (Ethicon) - Ssd	As and When Required				
243.	Suture Polyglactin	As and				

	910 Coated No.2/0,1/2 Circle,31Mm.75C m Rbn (Ethicon) - Ssd	When Required				
244.	Suture Polyglactin 910 Coated No.2/0,1/2 Circle,36Mm.90C m Tcn (Ethicon) - Ssd	As and When Required				
245.	Suture Nylon No.2/0,3/8 Circle, 36Mm. 90Cm Rcn (Ethilon) - Ssd	As and When Required				
246.	SUTURE NYLON NO.1,1/2 CIRCLE, 48MM. 100CM RCN (ETHILON) - J & J (W738)	As and When Required				
247.	Suture Nylon 9/0, 45Cm, 6.5Mm 1/2C Rcn	As and When Required				
248.	Suture Nylon No 1 75Cm, 40Mm 1/2 C Rcn	As and When Required				
249.	Suture Nylon No 10/0 30Cm, 6.5Mm 1/2 C Rcn	As and When Required				
250.	Suture Nylon-3/0 75Cm ½C 26Mm- Rcn	As and When Required				
251.	Suture Polyglycolic Acid 0 75cm on 40mm 1/2C Rbn	As and When Required				
252.	Suture Polyglactin 2 90Cm On 45Mm ½C Rcn	As and When Required				

253.	Suture Polyglactin 2/0 75Cm On 40Mm ½ C Rcn	As and When Required				
254.	Suture Polyglactin 2/0 75Cm On 40Mm ½ C Rbn	As and When Required				
255.	Suture Polyglactin 5/0 75Cm On 19Mm ½ C Ccn	As and When Required				
256.	Suture Polyglactin No 3/0 75Cm, 26Mm 3/8 C Rcn	As and When Required				
257.	Suture Polyglactin No 6/0, 45Cm, 17Mm 1/2C Rcn	As and When Required				
258.	Suture Polyglactin No 8/0 Micropoint - Spatula 6.5Mm 30Cm.	As and When Required				
259.	Suture Polyglactin No. 4/0, 45Cm 17Mm 1/2C Rcn	As and When Required				
260.	Suture Polyglactin No.5/0, 45Cm 17Mm 1/2 C Rcn	As and When Required				
261.	Suture Polypropylene- 3/0 75Cm ½C 22Mm-Ccn	As and When Required				
262.	Suture Nylon No.1 On 90Mm ½ Circle 100Cm Ccn	As and When Required				
263.	Suture Nylon-1 90Cm ½C 60Mm- Rcn	As and When Required				
264.	Suture Nylon-4/0 75Cm ½C 22Mm- Rcn	As and When Required				

265.	Suture.Nylon-4/0 75Cm ½C 30Mm- Rcn	As and When Required				
266.	Suture Nylon-2/0 75Cm ½C 40Mm- Rcn	As and When Required				
267.	Suture Polyglactin 0 ½C 45Mm Rbn 75Cm.	As and When Required				
268.	Suture Polyglactin 1 90Cm On 45Mm ½C Rbn	As and When Required				
269.	Suture Polyglactin 3/0 75Cm On 20Mm ½C Rbn	As and When Required				
270.	Suture Polyglactin 1 75Cm On 40Mm ½ C Rbn	As and When Required				
271.	Suture Polyglactin 5/0 75Cm On 30Mm 3/8 C Rbn	As and When Required				
272.	Suture Polyglactin, No.1 On 40mm, 75cm 1/2circle Rcn	As and When Required				
273.	Suture Polyglycolic Acid No 1 75Cm On 65Mm 1/2 Circle Rbn	As and When Required				
274.	Suture Polyglycolic Acid 1 90Cm On 45Mm ½C Rbn	As and When Required				
275.	Suture Polyglycolic Acid 2/0 90Cm ½C 36Mm Rcn	As and When Required				
276.	Suture Polyglycolic Acid No 3/0 75Cm On	As and When Required				

	35Mm 1/2 Circle Rbn					
277.	Suture Polyglycolic Acid No 4/0 75Cm On 30Mm 1/2 Circle Rbn	As and When Required				
278.	Suture Polyglycolic Acid 5/0 75Cm On 19Mm ½ C Rbn	As and When Required				
279.	Suture Polyglycolic Acid 2/0 75Cm On 40Mm ½ C Rbn	As and When Required				
280.	Suture Silk N0 2 On 45mm 75cm 1/2 Circle Rbn	As and When Required				
281.	Syringes 2Pc- 10MI Rup With G 21 Needle X 11/2	As and When Required				
282.	Syringes 2Pc- 20MI With G21 Needle X 11/2	As and When Required				
283.	Syringes 2Pc- 2MI Rup With G23 Needle X 1	As and When Required				
284.	Syringes 2Pc - 5MI Rup With G 21 Needle X 11/2	As and When Required				
285.	Syringes 60ml without Needle, Short Nozzle (Concentric)	As and When Required				
286.	Syringes 60ml Without Needle, Long Nozzle (Concentric)	As and When Required				
287.	Syringes A D- Fixed Dose Of 0.5 MI With 23 G Needle - Ssd	As and When Required				
288.	Syringes A D- Fixed Dose Of	As and When				

	0.05 MI With 27 G Needle For B.C.G -Ssd	Required				
289.	Bulb Sucker (100% Silicon)	As and When Required				
290.	Sterilization Pouch (14Cmx25Cm)	As and When Required				
291.	Sterilization Pouch (9Cmx22Cm)	As and When Required				
292.	Sterilization Pouch (19Cmx33Cm)	As and When Required				
293.	Implant Removal Set with Green Towels (Drapes)	As and When Required				
294.	Manual Vacuum Aspiration Set	As and When Required				
295.	Metallic Vaginal Speculum Cusco Large Medium and Small	As and When Required				
296.	Sims Vaginal Retractor Double End	As and When Required				
297.	Thyroectomy set	As and When Required				
298.	Laparotomy Sets With Green Towels (Drapes)	As and When Required				
299.	Implant Insertion Set With Green Towels (Drapes)	As and When Required				
300.	Prostatectomy Set With Green	As and When				

	Towels (Drapes)	Required				
301.	Disposable Cusco Vaginal Speculum Large, Medium, Small	As and When Required				
302.	Basic Dressing Set with Green Towels (Drapes)	As and When Required				
303.	Suturing Set with Green Towels (Drapes)	As and When Required				
304.	Set of Assorted Surgical Instruments In A Tray	As and When Required				
305.	Suturing Leg Mannequin (For Testing Sutures, Absorbable and Non-Absorbable)	As and When Required				
306.	Body bags	As and When Required				
307.	Tongue wooden depressor	As and When Required				
308.	TENS Mchines	As and When Required				
309	Adhesive TENS elctrodes	As and When Required				
310	Glycerine oil	As and When Required				
311	Dry cell batteries (9V Energiser max)	As and When Required				
312	Ultrasound gel 5l	As and When Required				
313	Crepe bandages	As and When Required				
314	IRR Massager	As and When				

		Required				
315	Infrared Machines	As and When Required				
	<b>TOTAL PRICE</b>					

Prices to include all taxes applicable and delivery must be quoted in Kenya Shillings (No special delivery costs shall be accepted)

Tenderer's name \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_

**Note:** In case of discrepancy between unit price and total, the unit price shall prevail.

**LOT IV. LABORATORY REAGENTS.**

Item No	Item Description	Unit of issue	Unit Price	Brand (Where applicable)	Total Value (Ksh)	Delivery Period after receiving the LPO
1.	Erba Protime	As and When Required				
2.	INR Control	As and When Required				
3.	INR Tubes	As and When Required				
4.	Erba Actime	As and When Required				
5.	Trisodium citrate tubes INR (1 x 100pcs)	As and When Required				
6.	EDTA tubes (1 x 100)	As and When Required				
7.	Haematology 5 parts diluent 20ltr (M52D) Mindray	As and When Required				

8.	Haematology 5 part diff. Lyse EN 500ml (M-52)	As and When Required				
9.	Haematology 5 part LH Lyse EN 100ml (M-52)	As and When Required				
10.	Haematology 5part probe cleanser 17ml/bottle (M-31P)	As and When Required				
11.	Vacutainer (Red top) (1x100pc) with activator	As and When Required				
12.	Haematology 5 parts control	As and When Required				
13.	Maglumi reaction modules	As and When Required				
14.	Maglumi light check (1 x 5 vials)9625	As and When Required				
15.	Maglumi wash concentrate (5x714ml)	As and When Required				
16.	Maglumi tubring cleaning solution (500mlx1 vial)	As and When Required				
17.	Starter kit 1 & 2 (3 parts) 3850	As and When Required				
18.	T3 kit	As and When Required				
19.	TSH kit	As and When Required				
20.	T4 kit	As and When Required				
21.	PSA kit	As and When Required				

22.	Thermal roll 48 x 43	As and When Required				
23.	Mission plus Hb strips	As and When Required				
24.	Oncall plus glucose strips	As and When Required				
25.	VDRL strips	As and When Required				
26.	Urinalysis strips	As and When Required				
27.	Mindray disposable cuvettes Bs 230	As and When Required				
28.	Electrolyte reagent pack Na <sup>+</sup> /K <sup>+</sup> /CL <sup>-</sup> (400m)	As and When Required				
29.	Mindray urea kit	As and When Required				
30.	Mindray Bilirubin Direct	As and When Required				
31.	Mindray Total Bilirubin kit	As and When Required				
32.	Mindray Total Protein kit	As and When Required				
33.	Mindray Albumin kit (4 x 400)	As and When Required				
34.	Mindray creatinine kit	As and When Required				
35.	Mindray ALP kit	As and When Required				
36.	Mindray AST kit	As and When Required				
37.	Mindray ALT kit	As and When Required				

38	Mindray HDL-C kit	As and When Required				
39	Mindray LDL-C kit	As and When Required				
40	Mindray Total cholesterol kit	As and When Required				
41.	Mindray Tri-glycerides	As and When Required				
42.	Mindray lipid calibrators	As and When Required				
43.	Mindray biochem multiserum calibrators	As and When Required				
44.	Mindray biochem control	As and When Required				
45.	Mindray calcium kit Bs 230	As and When Required				
46.	Mindray phosphates kit	As and When Required				
47.	S A T	As and When Required				
48.	H.Pylori	As and When Required				
49.	R F	As and When Required				
50.	PT	As and When Required				
51.	Easylte electrolyte cleaner (1 x 10ml)	As and When Required				
52.	Cryovials	As and				

		When Required				
53.	Uric acid( kit)	As and When Required				
54	ASOT Kit	As and When Required				
55	Brucella Kit	As and When Required				
56	Formal dehyade	As and When Required				
57	CRAG reagent Test	As and When Required				
58	ANTI A	As and When Required				
59	ANTI B	As and When Required				
60	ANTI D	As and When Required				
61	HCV Kits	As and When Required				
62	HBsAg Kit	As and When Required				
63	Giemsa Reagent 250mls	As and When Required				
64	PH Calibrator-PH 7.2	As and When Required				

65	AHG	As and When Required				
66	Albumin 2*125 ML+STD kit (elitee)	As and When Required				
67	AST (DEA)SL2*62.5 ML)	As and When Required				
68	ALT/GPT/4+1SL 2*62.5ML kit	As and When Required				
69	AMYLASE SL 1*50ML kit	As and When Required				
70	AST/GOT 4+1 SL2*62.5ML kit	As and When Required				
71	BILIRUBIN TOTAL 4+1SL2*125ML	As and When Required				
72	BILIRUBIN DIRECT 4+1SL2*125ML kit	As and When Required				
73	CALCIUM ARSENAZO 2*125ML +STD	As and When Required				
74	CHOLEST HDL SL 2G 1*80ML kit	As and When Required				
75	CHOLEST LDL SL 2G 1*80ML (kit)	As and When Required				
76	CHOLESTEROL T SL 6*100ML +STD	As and When Required				
77	CREATININE PAP 2*133ML+STD	As and When				

	(kit)	Required				
78	GAMMA-GT PLUS SL4*62.5ML( kit)	As and When Required				
79	TOTAL PROTEIN PLUS 2*125ML+STD (kit)	As and When Required				
80	TRIGL MONO SLNEW 6*50ML+STD( kit)	As and When Required				
81	UREA UV SL 4*62.5MLSTD (kit)	As and When Required				
82	URIC ACID MONO SL6*50ML +STD (kit)	As and When Required				
83	MAGNESIUM KIT	As and When Required				
84	Inorganic phosphorous 6*20ml (kit)	As and When Required				
85	ISE Calibrator Low and high 6*20ml (kit)	As and When Required				
86	ISE DILUENT 12*25ML (kit)	As and When Required				
87	ISE Reference Fluid 1*500ml(pack)	As and When Required				
88	ISE cleaner and ISE Conditioner 3*25ml(pack)	As and When Required				
	<b>TOTAL PRICE</b>					

Prices to include all taxes applicable and delivery must be quoted in Kenya Shillings (No special delivery costs shall be accepted)

Tenderer's name

Signature \_\_\_\_\_

Date \_\_\_\_\_

**Note:** In case of discrepancy between unit price and total, the unit price shall prevail.

**LOT V: PHARMACEUTICAL ITEMS**

<b>Item No</b>	<b>Item Description</b>	<b>Unit of issue</b>	<b>Unit Price</b>	<b>Brand (Where applicable)</b>	<b>Total Value (Ksh)</b>	<b>Delivery Period after receiving the LPO</b>
1	Acetylsalicylic Acid Tablets 75mg-Enteric Coated Blister Pack	As and When Required				
2	Acetylsalicylic Acid Tablets 300mg	As and When Required				
3	Acetazolamide Tablets 250mg	As and When Required				
4	Acyclovir Tablets 400mg	As and When Required				
5	Acyclovir Tablets 400mg	As and When Required				
6	Albendazole Tablets 400mg	As and When Required				
7	Alendronic Acid 70mg Tablets	As and When Required				
8	Allopurinol Tablets 100mg	As and When Required				
9	Amitriptyline Tablets 25mg	As and When Required				
10	Amitriptyline Tablets 25mg	As and When Required				
11	Amlodipine Tablet 5mg	As and When Required				

12	Amoxicillin Capsules 500mg	As and When Required				
13	Amoxicillin Tablet 250mg Dispersible, Scored	As and When Required				
14	Amoxicillin+Clavulanic Acid Tab.(250Mg+62.5 Mg, i.e 312.5Mg) Dispersable	As and When Required				
15	Amoxycillin/Clavulanic Potassium Tabs (875+125mg) 1gm	As and When Required				
16	Atorvastatin Tablets 20mg	As and When Required				
17	Atorvastatin Tablets 40mg	As and When Required				
18	Azathioprine Tablets 50mg	As and When Required				
19	Azithromycin Tablets 500mg	As and When Required				
20	Bisacodyl Tablets 5mg	As and When Required				
21	Aripiprazole 15mg, Tablet	As and When Required				
22	Bromazepam Tablets 3mg	As and When Required				
23	Carbimazole Tablets - 5mg	As and When Required				
24	Carvedilol Tablets 12.5mg	As and When Required				

25	Carvedilol Tablets 6.25mg	As and When Required				
26	Cefixime Tablet 400mg	As and When Required				
27	Celecoxib Capsules 200mg	As and When Required				
28	Ciprofloxacin 500mg Tablets	As and When Required				
29	Clarithromycin Tablets 500mg	As and When Required				
30	Clindamycin Capsules 150mg	As and When Required				
31	Clomiphene Citrate Tablets 50mg	As and When Required				
32	Clopidogrel Tablet, 75mg (as hydrogen sulfate)	As and When Required				
33	Clotrimazole Vaginal Pessaries 500Mg	As and When Required				
34	Co-Trimoxazole Tablet, 480mg	As and When Required				
35	Cyclosporin Capsule 100mg	As and When Required				
36	Cyclosporin Capsule 25mg	As and When Required				
37	Deferasirox Tablet, 100mg	As and When Required				
38	Digoxin Tablets - 250mcg	As and When Required				
39	Dihydrocodeine Tartrate Tab 30mg	As and When Required				

40	Diazepam Tablet 5mg	As and When Required				
41	Divalproex Sodium tablet 500mg	As and When Required				
42	Domperidone 10Mg Tablets	As and When Required				
43	Doxycycline Capsules 100mg	As and When Required				
44	Enalapril Tablets - 5mg	As and When Required				
45	Escitalopram Tablet 10mg	As and When Required				
46	Febuxostat Tablets 40mg	As and When Required				
47	Ferrous Sulph./Folic Acid Tablets 200mg/400mcg Blister Pack	As and When Required				
48	Ferrous Sulphate Tablets - 200Mg	As and When Required				
49	Flucloxacillin Capsules 250Mg	As and When Required				
50	Flucloxacillin Capsules 500MG	As and When Required				
51	Fluconazole Capsules - 200Mg	As and When Required				
52	Folic Acid Tablets 5mg	As and When Required				
53	Furosemide Tablets 40Mg	As and When Required				
54	Gabapentin Cap	As and When				

	300Mg	Required				
55	Gefitinib Tablet 250 Mg	As and When Required				
56	Griseofulvin Tablets 125Mg	As and When Required				
57	Griseofulvin Tablets 500mg	As and When Required				
58	Hydralazine Tablets 25mg	As and When Required				
59	Hydrochlorothiazide Tablets 25mg	As and When Required				
60	Hydrochlorthiazide Tablets 50mg	As and When Required				
61	Hydroxychloroquin Tablets 200mg (as sulfate)	As and When Required				
62	Hyoscine Butylbromide Tablets 10Mg (F/C)	As and When Required				
63	Ibuprofen Tablets - 200Mg	As and When Required				
64	Itraconazole Capsules 100mg 4/Pk	As and When Required				
65	Lansoprazole Dispersible Tablet 15Mg	As and When Required				
66	Lamotrigine Tablet, 25mg	As and When Required				
67	Lamotrigine Tablet, 100mg	As and When Required				
68	Loratadine Tablet, 10mg	As and When Required				

69	Loratadine Tablets 10Mg Dispersable, Scored	As and When Required				
70	Leflunomide Tablet 20mg, Film Coated	As and When Required				
71	Levofloxacin 500Mg Tablets	As and When Required				
72	Levothyroxine 100Mcg	As and When Required				
73	Linezolid Tablets 600mg	As and When Required				
74	Loperamide Capsules - 2Mg	As and When Required				
75	Losatan 50Mg Tablets	As and When Required				
76	Losartan Pottasium 50Mg +Hydrochlothiazi de 12.5 Mg Tablets	As and When Required				
77	Losartan Pottasium 50Mg +Hydrochlothiazi de 12.5 Mg TABLETS	As and When Required				
78	Metformin Tablets 500Mg (100s in Blisters)	As and When Required				
79	Methyldopa Tablets 250Mg	As and When Required				
80	Metoclopramide Tablets - 10Mg	As and When Required				
81	Metolazone Tablet, 5mg	As and When Required				

82	Mirtazapine Tablet, 15mg (as Hydrochloride)	As and When Required				
83	Montelukast (As Sodium Salt) Tablet 10mg	As and When Required				
84	Mycophenolic Acid Tablet (E/C), 180mg as Mycophenolate Sodium	As and When Required				
85	Mycophenolate Sodium 360mg	As and When Required				
86	Mycophenolate Mofetil 500mg	As and When Required				
87	Nifedipine Tablets S/R 20mg	As and When Required				
88	Nitrofurantoin 100mg Tablets	As and When Required				
89	Olanzapine Tablets 10mg scored	As and When Required				
90	Olanzapine Dispersible Tablet 10mg	As and When Required				
91	Omeprazole Capsules 20Mg (100s in Blisters)	As and When Required				
92	Ondansetron Tablet, 4mg (as hydrochloride) as disintegrating tablet	As and When Required				
93	Paracetamol Tablets 500Mg (100s in Blisters)	As and When Required				
94	Phenobarbitone					

	Tablets 30mg					
95	Praziquantel Tablets 600Mg	As and When Required				
96	Prednisolone Tablets 5mg	As and When Required				
97	Prednisolone Oral Liquid 15Mg/5MI	As and When Required				
98	Retinol (Vitamin A) Palmitate Capsules 200,000 IU	As and When Required				
99	Risperidone 2mg Tabs, Scored	As and When Required				
100	Rivaroxaban tablet 10mg (film coated)	As and When Required				
101	Rivaroxaban tablet 15mg (film coated)	As and When Required				
102	Rivaroxaban tablet 20mg (film coated)	As and When Required				
103	Sildenafil Tablet, 25mg (as citrate)	As and When Required				
104	Sodium valproate (valproic acid) Tablets 500mg, slow release	As and When Required				
105	Spirolactone 25 Mg Tablets	As and When Required				
106	Tamsulosin Hydrochloride Tablets 400mcg	As and When Required				
107	Telmisartan Tablets 40mg	As and When Required				

108	Telmisartan 80mg + Hydrochlorthiazide 12.5mg Tablets	As and When Required				
109	Terbinafine Tablet 125mg Scored	As and When Required				
110	Tinidazole Tablets 500mg (F/C)	As and When Required				
111	Tranexamic Acid 500Mg Tablets	As and When Required				
112	Trimetazidine tablet 35mg	As and When Required				
113	Valproic Acid (Sodium Valproate) 200Mg Tablets	As and When Required				
114	Verapamil Tablet 40mg	As and When Required				
115	Warfarin Tablets 5mg	As and When Required				
116	Zinc Sulphate Tablets - 20Mg	As and When Required				
117	Azithromycin Oral Suspension (Pfr) - 200Mg/5Ml	As and When Required				
118	Chlorpheniramine Syrup 2mg/5ml	As and When Required				
119	Co-Trimoxazole Suspension - 240Mg/5Ml	As and When Required				
120	Digoxin Elixir/Oral Solution -	As and When Required				

	50Mcg/MI					
121	Domperidone 1mg/ml Syrup	As and When Required				
122	Flucloxacillin 125mg/5ml Suspension, 100ml bottle	As and When Required				
123	Ibuprofen Syrup 100Mg/5MI 60MI	As and When Required				
124	Lactulose Solution 3.4Mg/MI,200MI	As and When Required				
125	Metronidazole Suspension - 200Mg/5MI	As and When Required				
126	Nystatin Suspension - 100 000Iu/ml	As and When Required				
127	Rehydration Salts Oral (ORS)	As and When Required				
128	Co-Pack Of 4 Sachets of Low Osmolarity ORS (500MI Formulation) + 10 Tablets Of Dispersible Zinc Sulphate Tablets 20Mg	As and When Required				
129	Paracetamol Suspension 120Mg/5MI	As and When Required				
130	Sodium Valproate (Valproic Acid) Oral Solution (Syrup), 200mg/5ml	As and When Required				

131	Salbutamol Nebulizing Solution - 5Mg/MI 10MI	As and When Required				
132	Salbutamol Sulphate + Ipratropium Bromide Nebuliser Solution (1mg + 200mcg/MI), 2.5ml	As and When Required				
133	Salbutamol+Becl omethasone 200 doses	As and When Required				
134	Budesonide, pressurized metered dose Inhaler, 100mcg/metered dose (200 dose)	As and When Required				
135	Budesonide, pressurized metered dose Inhaler, 200mcg/metered dose (200 dose)	As and When Required				
136	Budesonide+For moterol 200mcg+6mcg metered dose Inhaler (120 dose)	As and When Required				
137	Budesonide+For moterol 100mcg+6mcg metered dose Inhaler (120 dose)	As and When Required				
138	Fluticasone,Nasal spray, 27.5mcg spray, 120 doses,	As and When Required				

	pack size Can					
139	Acetylcysteine Inj. 200mg/ml, 10ml Ampoule	As and When Required				
140	Acyclovir PFI 250mg vial	As and When Required				
141	Adrenaline Injection - 1Mg/MI	As and When Required				
142	Albumin (Human) 20%	As and When Required				
143	Amikacin Sulphate 500Mg /2MI Injection	As and When Required				
144	Amoxicillin/Clav ulanic 1.2g Injection	As and When Required				
145	Amphotericin B Injection, PFI 50mg (Liposomal)	As and When Required				
146	Normal immunoglobulin (Human) injection for IV administration,5% protein solution	As and When Required				
147	Anti-D (Rh) Injection - 300mcg	As and When Required				
148	Atropine Injection - 1mg/ml	As and When Required				
149	Benzathine Benzylpenicillin 1.2MU Vial	As and When Required				
150	Penicillin Benzyl Injection - 5MU	As and When Required				

151	Penicillin Benzyl Injection - 1MU	As and When Required				
152	Calcium Gluconate Injection, 10%, 10MI Ampoule	As and When Required				
153	Ceftazidime Injection, 1g	As and When Required				
154	Ceftriaxone Injection IM/IV, 1g	As and When Required				
155	Ceftriaxone Injection IM/ IV, 250mg	As and When Required				
156	Clindamycin Injection 150mg/ml, 2ml Ampoule	As and When Required				
157	Dopamine Injection 40mg/ml, 5ml	As and When Required				
158	Dexamethasone Injection - 4Mg/MI	As and When Required				
159	Ephedrine Hcl Injection 30mg/MI	As and When Required				
160	Fentanyl Citrate 50mcg/ml, 2ml ampoule	As and When Required				
161	Flucloxacillin Injection 500mg (PFI)	As and When Required				
162	Furosemide Injection - 20mg/2ml	As and When Required				
163	Gentamicin Injection - 20Mg-	As and When				

	10Mg/MI 2MI Amp	Required				
164	Gentamicin Injection - 80Mg-40Mg/MI 2MI Amp	As and When Required				
165	Glycopyrronium Injection, Solution for Injection 200mcg/ml (As Bromide), 1ml Ampoule	As and When Required				
166	Dextrose - 5% Euro Cap Bottle	As and When Required				
167	Diazepam Injection 5mg/ml, 2ml Ampoule	As and When Required				
168	Glucose Injection 50% 50MI (Dextrose) With Euro Cap/ Collapsible Bag	As and When Required				
169	Glucose + Sodium Chloride Infusion; (5% + 0.9%)	As and When Required				
170	Dextrose - 10% With Euro Cap/ Collapsible Bag	As and When Required				
171	Enoxaparin Sodium 40mg/0.4ml Injection	As and When Required				
172	Enoxaparin injection (prefilled syringe) 80mg/0.8ml	As and When Required				

173	Fluconazole IV 2mg/ml, 100ml bottle	As and When Required				
174	Heparine Injection - 5000Units/MI 5MI	As and When Required				
175	Hydrocortisone Injection - 100Mg	As and When Required				
176	Hydroxyethyl Starch Solution for IV Infusion, 6% in 0.9% Sodium Chloride, 500ml. Plasma Expander (Voluven)	As and When Required				
177	Hyoscine Butyl Bromide Injection 20Mg/MI	As and When Required				
178	Insulin Biphasic 30/70 - 100Iu/MI	As and When Required				
179	Insulin Soluble - 100Iu/MI	As and When Required				
180	Basal Insulin, long Acting Insulin Analog 100iu/ml (Insulin Glargine)	As and When Required				
181	Insulin Syringes (100) 1ml with Needle G31 X 6mm	As and When Required				
182	Insulin Pen Needles 30Gx8Mm	As and When Required				
183	Ketorolac Injection (Im/Iv),	As and When Required				

	30Mg/MI					
184	Labetalol Injection 100mg, (5mg/ml), 20ml, Vial	As and When Required				
185	Levetiracetam Injection,100mg/ml, 5ml vial	As and When Required				
186	Linezolid Injection 2mg/ml- 300ml Bottle	As and When Required				
187	Triamcinolone Acetonide Injection (Injectable Suspension) 40mg/1ml	As and When Required				
188	Lignocaine Hydrochloride Inj. 1%	As and When Required				
189	Lignocaine Hydrochloride Injection - 2%	As and When Required				
190	Lignocaine + Epinephrine (Adrenaline) Injection, 2% (Hcl Or Sulphate) + 1:200,000 In Vial	As and When Required				
191	Magnesium Sulphate Injection - 50%	As and When Required				
192	Mannitol 20% W/V Infusion 500MI	As and When Required				
193	Meropenem Injection PFR 500mg	As and When Required				

194	Metoclopramide Injection 5mg/ml	As and When Required				
195	Metronidazole Injection - 5Mg/MI	As and When Required				
196	Midazolam Injection 1Mg/1MI- 5MI Ampoule	As and When Required				
197	Noradrenaline Injection 2mg/2ml, Ampoule	As and When Required				
198	Omeprazole Injection 40Mg Vial	As and When Required				
199	Oxytocin Injection - 10iu/ml	As and When Required				
200	Carbetocin Injection, 100mcg/ml	As and When Required				
201	Ondansetron Injection, 2mg/ml, 2ml ampoule	As and When Required				
202	Paracetamol Solution for Intravenous Infusion 10Mg/MI, 100MI	As and When Required				
203	Piperacillin/Tazobactam Injection PFR 4.5gm Vial	As and When Required				
204	Phenobarbital (Phenobarbitone) Sodium Injection 30mg/ml - 1ml Ampoule	As and When Required				

205	Phenobarbital (Phenobarbitone) Injection 60mg/ml, Ampoule	As and When Required				
206	Phenobarbital (Phenobarbitone) Injection 200mg/ml, Ampoule	As and When Required				
207	Phenytoin Sodium 250mg/5ml Injection(Epanuti n)	As and When Required				
208	Phytomenadione Injection (Vitamin K1) - 10mg/ml, 1ml Ampoule (Adults)	As and When Required				
209	Phytomenadione Injection (Vitamin K1) 10mg/ml, 0.2ml Ampoule (Paediatric)	As and When Required				
210	Potassium Chloride Injection - 15%	As and When Required				
211	Polygeline Iv Infusion 3.5%, 500ml Pack	As and When Required				
212	Polymyxin B Sulphate 500,000I.U Injection	As and When Required				
213	Propofol IV 10mg/MI	As and When Required				
214	Protamine Sulphate	As and When Required				

	10mg/ml, 5ml Ampoule					
215	Methyl Prednisolone 500mg Injection	As and When Required				
216	Sodium Bicarbonate Injection - 8.4% (84mg/ml), 10ml ampoule, 10 pack	As and When Required				
217	Sodium Chloride /Normal Saline Solution - 0.9% Euro Cap Bottle	As and When Required				
218	Sodium Lactate Solution With Euro Cap/ Collapsible Bag	As and When Required				
219	Sodium Valproate Injection, 100mg/ml	As and When Required				
220	Surfactant Beractant or Poractant or equivalent, 25mg/ml	As and When Required				
221	Sodium Stibogluconate - 100Mg/MI	As and When Required				
222	Tacrolimus Ointment, 0.1% (As Monohydrate) (10g)	As and When Required				
223	Tropicamide + Phenylephrine Eye Drops 0.8% + 5% W/V	As and When Required				
224	Tranexamic Acid Injection	As and When				

	500Mg/5Ml	Required				
225	Water for Injection	As and When Required				
226	Vancomycin Injection 500mg Vial	As and When Required				
227	Betamethasone Ointment, 0.1%, 15G	As and When Required				
228	Benzyl Benzoate Emulsion, 25% w/v, 100ml	As and When Required				
229	Clotrimazole Cream - 1%	As and When Required				
230	Clotrimazole Solution (Ear Drops) 1%	As and When Required				
231	Hydrocortisone Ointment - 1%	As and When Required				
232	Mupirocin Ointment 2% (15G)	As and When Required				
233	Mometasone Furoate Ointment 0.1% - 15G	As and When Required				
234	Paracetamol Suppositories 125Mg	As and When Required				
235	Silver Sulphadiazine Cream 1%	As and When Required				
236	Silver Sulphadiazine Cream 1%	As and When Required				
237	Silver Sulphadiazine	As and When Required				

	Cream 1%					
238	Terbinafine 1% Cream 15gm tube	As and When Required				
239	Tacrolimus Ointment, 0.03% (As Monohydrate) (10g)	As and When Required				
240	Water Based Lubricant(Sterile) 42-50gm	As and When Required				
241	Alcohol Based Hand Rub (KEM- rub)	As and When Required				
242	Alcohol Based Hand Sanitizer	As and When Required				
243	Alcohol Based Hand Rub (70% Isopropyl Alcohol)	As and When Required				
244	Chlorhexidine Gluconate 0.2% Mouth Wash	As and When Required				
245	Chlorhexidine Gluconate - 5%	As and When Required				
246	Chlorhexidine gel 4% (7.1% as digluconate)	As and When Required				
247	Enzymatic Detergent	As and When Required				
248	Ethanol (Denatured) - 70%	As and When Required				
249	Formaldehyde (Formalin) 40% Solution	As and When Required				
250	Methylated	As and When				

	Spirit/Ethanol Denatured (Alcohol Content 94%-96%)	Required				
251	Povidone-Iodine Solution - 10%	As and When Required				
252	Glutaraldehyde 2% Solution	As and When Required				
253	Sodium Hypochlorite Solution 4-6% Chlorine	As and When Required				
254	Morphine Sulphate Injection - 10Mg/MI	As and When Required				
255	Morphine Sulphate Oral Solution 1Mg/MI, 100ml (Paediatric)	As and When Required				
256	Morphine Oral Solution 10mg/ml, 100ml	As and When Required				
257	Morphine Powder	As and When Required				
258	Azelastine Eye Drops 0.05%	As and When Required				
259	Ciprofloxacin Eye Drops 0.3%	As and When Required				
260	Ciprofloxacin 0.3% + Dexamethasone 0.1% Eye Drops	As and When Required				
261	Dexamethasone 0.1% + Gentamicin 0.3% Eye Drops	As and When Required				

262	Gentamycin Sulphate Solution (Eye / Ear Drops) 0.3 % W/V	As and When Required				
263	Ketorolac Solution, Eye Drops, 0.5% (As Tromethamine)	As and When Required				
264	Tetracycline Eye Ointment -1%	As and When Required				
265	Acyclovir 3% Ophthalmic Ointment	As and When Required				
266	Fluorometholone Eye Drops 0.1%, W/V 5ml	As and When Required				
267	Betamethasone Sodium Phosphate 0.1% W/V And Neomycin Sulphate 0.5% W/V	As and When Required				
268	Timolol Eye Drops 0.5% 5MI	As and When Required				
269	Benzhexol 5Mg Tabs	As and When Required				
270	Carbamazepine Tablets 200Mg	As and When Required				
271	Chlorpromazine Injection - 50Mg/2MI	As and When Required				
272	Chlorpromazine Hydrochloride 25mg/2ml Amp	As and When Required				
273	Chlorpromazine Tablets 100Mg	As and When Required				

274	Fluoxetine Capsules - 20Mg	As and When Required				
275	Flupenthixol Decanoate - 20Mg/MI	As and When Required				
276	Fluphenazine Injection - 25Mg/MI	As and When Required				
277	Zuclopenthixol decanoate injection 200mg/ml	As and When Required				
278	Zuclopenthixol Acupahse Injection, 100mg/2ml	As and When Required				
279	Haloperidol Decanoate Depot - 50Mg/MI	As and When Required				
280	Haloperidol 5mg Tablet	As and When Required				
281	Phenytoin Tablets 50Mg	As and When Required				
282	Phenytoin Tablets 100Mg	As and When Required				
283	Atracurium Injection- 10Mg/MI, 5MI Ampoule	As and When Required				
284	Bupivacaine Hyd In Dextrose Inj - 5Mg	As and When Required				
285	Halothane Inhalation	As and When Required				
286	Isoflurane Liquid For Inhalation	As and When Required				

287	Sevoflurane Solution for Inhalation with Inbuilt Filter	As and When Required				
288	Ketamine Injection - 50Mg/MI	As and When Required				
289	Neostigmine Injection - 2.5Mg/MI	As and When Required				
290	Suxamethonium Chloride Injection	As and When Required				
291	Thiopentone Sodium Injection - 500Mg	As and When Required				
292	Tiotropium Bromide (Spiriva)+Hand Inhaler 18mcg, 30pk	As and When Required				
293	Inhalation Spacer (for 2 Years and above)	As and When Required				
294	Inhalation Spacer with baby mask (for 6months - 2 Years)	As and When Required				
295	Silver Nitrate Silver Ions 0.01% W/V, 250ml Bottle	As and When Required				
296	Silver Ion Solution 0.01% (100ml)	As and When Required				
297	Anti-Rabies Serum Inj - 200 1U/MI 5MI Ampoule/Vial	As and When Required				

298	Rabbies Vaccine, Purified Verocell/Human Diploid - WHO prequalified and with Vaccine Vial Monitor (VVM)	As and When Required				
299	Snake Venom Antiserum I.V Injection 10ml vial. Covering 18 snake species: Echis pyramidum, Echis ocellatus, Echis leucogaster, Bitis orietans, Bitis nasicornis, Bitis gabonica, Bitis rhinoceros, Dendroaspis polylepis, Dendroaspis viridis, Dendroaspis angusticeps, Dendroaspis jamesoni, Naja nigricollis, Naja melanoleuca, Naja haje, Naja pallida, Naja nubiae, Naja katiensis, Naja senegalensis	As and When Required				
300	Hepatitis B Vaccine (Adult) 20mcg/ml, 1ml vial (Generic)	As and When Required				
301	Cholera Vaccine 2ml (Shanchol)	As and When Required				
302	Meningococcal (Group A,C,Y	As and When Required				

	And W-135) Polysaccharide Diphtheria Toxoid Conjugate Vaccines 0.5ml Liquid For Intramuscular Injection (Menactra)					
303	Typhoid Vaccine 20 doses 10ml Vial (Typhim)	As and When Required				
304	Yellow Fever Vaccine(Stamaril ) One Dose Syringe	As and When Required				
305	Yellow Fever Vaccine (Stamaril) Multidose 10 Doses	As and When Required				
306	Nicotine (Nrt) Transdermal Patch, 7-21Mg/24 Hours	As and When Required				
307	Paliperidone Palmitate Injection 150Mg/MI	As and When Required				
308	Misoprostol 200Mcg Tablets (Sublingual)	As and When Required				
309	TOTAL PHARMACEUTI CALS	As and When Required				
310		As and When Required				
311	SSD- Pharmaceutical	As and When Required				

	Items					
312		As and When Required				
313	TOTAL SSD PHARMACEUTICALS	As and When Required				
314		As and When Required				
315	ONCOLOGY PRODUCTS	As and When Required				
316	Anastrozole Tablet, 1mg	As and When Required				
317	Abiraterone Tablets 250mg	As and When Required				
318	Bicalutamide Tablet, 50mg	As and When Required				
319	Finasteride tablets 5mg	As and When Required				
320	Tamoxifen Tablet, 20mg (as citrate)	As and When Required				
321	Hydroxycarbamide (Hydroxyurea) Capsule, 500mg	As and When Required				
322	Methotrexate Tablet, 2.5mg(As Sodium Salt)	As and When Required				
323	Letrozole Tablet, 2.5mg	As and When Required				
324	Lenalidomide Capsule 5mg	As and When Required				
325	Capecitabine Tablet 150mg	As and When Required				

326	Capecitabine Tablet, 500mg	As and When Required				
327	Folinic Acid Tablet, 15mg (As Calcium Folate)	As and When Required				
328	Chlorambucil Tablet 2mg Blister	As and When Required				
329	Mercaptopurine Tablet 50mg (Scored)	As and When Required				
330	Melphalan Tablet, 2mg	As and When Required				
331	Lenalidomide Capsule 25mg	As and When Required				
332	Procarbazine Capsule, 50mg (HCL)	As and When Required				
333	Bleomycin Injection, Lyophilised Powder for Reconstitution, 15mg (Sulphate)	As and When Required				
334	Carboplatin injection, solution for injection, 10mg/ml, 15ml vial (150mg)	As and When Required				
335	Carboplatin Injection, solution for injection,10mg/ml , 45ml vial (450mg)	As and When Required				
336	Cisplatin Injection, solution for injection	As and When Required				

	1mg/ml, 50ml vial, (50mg)					
337	Cyclophosphamide Injection, Powder For Reconstitution, 200mg	As and When Required				
338	Dacarbazine injection, lyophilized powder for reconstitution, 200mg (as citrate)	As and When Required				
339	Daunorubicin Injection, powder for Reconstitution, 20mg (as Hcl)	As and When Required				
340	Vincristine Injection, powder for reconstitution, 1mg (Sulfate) or solution for injection	As and When Required				
341	Filgrastim Injection, prefilled syringe for Injection (300 micrograms) / 0.5 ml	As and When Required				
342	Folinic Acid Injection 10mg/ml, Solution or Powder For Reconstitution, 5ml Vial ( 50mg As Calcium Folate)	As and When Required				
343	Gemcitabine Injection, Pfr,					

	200mg Vial					
344	Gemcitabine Injection, Pfr, 1g Vial	As and When Required				
345	Methotrexate Solution For Injection 25mg/ml, 2ml Vial, As Sodium Salt, Preservative Free	As and When Required				
346	Oxaliplatin Injection, solution for injection, 2mg/ml,25 ml vial (50mg)	As and When Required				
347	Oxaliplatin Injection, solution for injection, 2mg/ml,50 ml vial (100mg)	As and When Required				
348	Paclitaxel Concentrate solution for injection,6mg/ml, 50ml (300mg)	As and When Required				
349	Paclitaxel Concentrate solution for injection, 6mg/ml,16.7ml vial (100 mg)	As and When Required				
350	Paclitaxel Injection, concentrate solution for injection (6mg/ml),5ml(30 mg)	As and When Required				
351	Doxorubicin	As and				

	Injection, Lyophilised powder for reconstitution, 50mg (hydrochloride) OR solution for injection	When Required				
352	Doxorubicin Injection, Lyophilised Powder for Reconstitution, 10mg (Hydrochloride) or Solution for Injection	As and When Required				
353	Bortezomib Injection, Lyophilised powder for reconstitution, 3.5mg	As and When Required				
354	Zoledronic Acid Injection, PFR OR ready to use solution, 800mcg/ml,5ml vial (4mg)	As and When Required				
355	Trastuzumab Injection 600MG (Subcutaneous)	As and When Required				
356	Trastuzumab Vial 440Mg (Herceptin)	As and When Required				
357	Cyclophosphamid e Injection, powder for reconstitution, 500mg	As and When Required				

358	Cyclophosphamide Injection, powder for reconstitution, 1g	As and When Required				
359	Docetaxel Injection, solution for injection with solvent, 80mg	As and When Required				
360	Rituximab Solution For Injection, 10Mg/ML, 10 ML Vial	As and When Required				
361	Rituximab Solution for injection, 10mg/ml, 10ml vial (100mg) (Roche)	As and When Required				
362	Rituximab Solution for injection, 10mg/ml , 50ml vial (500mg) (Roche)	As and When Required				
363	Cytarabine Injection, Powder For Reconstitution, 100mg Or Solution for Injection (Preservative Free 100mg/ML)	As and When Required				
364	Dactinomycin Injection, Powder for Reconstitution, 500 MicroGrams Vial	As and When Required				

365	Fluorouracil Injection, Solution For Injection, 50 Mg/ML, 5ml Vial (250mg	As and When Required				
366	Ifosfamide With Mesna Injection, Ifosfamide 1gm Powder for Reconstitution/Mesna 600mg Solution for Injection in Combination Pack	As and When Required				
367	Ifosfamide With Mesna Injection, Ifosfamide 2gm Powder for Reconstitution/Mesna 1200mg Solution for Injection in Combination Pack	As and When Required				
368	Goserelin Injection, as Implant (in Syringe Applicator) 3.6mg (As Acetate) in a Prefilled Syringe	As and When Required				
369	Goserelin Implant (In Syringe Applicator) 10.8 Mg (As Acetate) In a Prefilled Syringe	As and When Required				
370	Irinotecan Injection, Solution For Injection, 20 Mg/ML, 2 ML Vial	As and When Required				

	(40mg)					
371	L-Asparaginase Injection (PFI) 10,000IU	As and When Required				
372	Mesna Injection, Solution for Injection, 100mg/ml, 2ml Amp	As and When Required				
373	Vinblastine Sulphate Solution for Injection, 1mg/ml, 10ml Vial (10mg)	As and When Required				
374	Vinorelbine Concentrate for Injection 10mg/ml, 5ml Vial	As and When Required				
375	Fentanyl Patch 50 micrograms in a patch	As and When Required				
376	Chemoport Huber Needle 20g Length 20mm	As and When Required				
377	Chemoport Huber Needle 22g Length 20mm	As and When Required				
378	TOTAL ONCOLOGY	As and When Required				
379		As and When Required				
380	NUTRITION PRODUCTS	As and When Required				
381	Normal immunoglobulin (Human) injection for IV	As and When Required				

	administration,5% protein solution					
382	Amino Acids Solution Injection, Solution For Infusion, 5 - 6 Amino Acids With Glucose Paediatric Solution, 500ml bottle	As and When Required				
383	TOTAL NUTRITION	As and When Required				
384		As and When Required				
385	RENAL PRODUCTS	As and When Required				
386	Hemodialysis blood lines with drainage bag, percutor arterial and venous line with a filter,transducer, infusion set & recirculator (Nipro)	As and When Required				
387	Haemodialysis Tubing (Blood Line) Universal With Bag, Percutor Art. & Ven. With Filter, Transducer, Infusion & Recirculator - Adult (Bellco)	As and When Required				
388	Hemodialysis Blood Lines With	As and When				

	Drainage Bag, Percutor Arterial And Venous Line With A Filter, Transducer, Infusion Set and Recirculator	Required				
389	Flexya Cassette (Flexya machine)	As and When Required				
390	Biflexy Bag 750gms (Flexya machine)	As and When Required				
391	Dialyzer Surface area 1.7m <sup>2</sup> (Nipro)	As and When Required				
392	Dialyzer Surface area 1.8m <sup>2</sup> (Fresenius)	As and When Required				
393	Dialyzer Surface area 1.9m <sup>2</sup> (Nipro)	As and When Required				
394	Dialyzer High Flux Surface Area 1.9m <sup>2</sup> (Bellco)	As and When Required				
395	Dialyzer High Flux Surface Area 2.0m <sup>2</sup> (Bellco)	As and When Required				
396	Regenerating Salt for Water Softening 25kg	As and When Required				
397	Sub Clavian Catheter for Dialysis- 12.0F x 20cm (Acute Dual Lumen)	As and When Required				
398	Acute Dialysis Dual Lumen Catheter, Jugular 12FR x 16cm	As and When Required				

	(Mahurkar)					
399	Acute Dialysis Dual Lumen Catheter, Jugular 13.5FR x 16cm (Mahurkar)	As and When Required				
400	Skin Adhesive Dressing for renal catheter with pores and waterproof 25" x 10" (Primapore)	As and When Required				
401	Bi-carbonate powder (750g) cartridge (Nipro)	As and When Required				
402	Bi-carbonate powder 750g (Bellco)	As and When Required				
403	Iron sucrose 20mg/ml Injection 5ml (Venofar)	As and When Required				
404	Syringe 20ml (Without Needle), BD Brand	As and When Required				
405	Transpore tape 2.5cm x 9.14M (3M)	As and When Required				
406	Micropore tape 2.5cm x 9.14M (3M)	As and When Required				
407	Citro Plus 21% (Citric acid,Lactic acid,Malic acid) ( Citrosterile GBL)	As and When Required				
408	Erythropoetin 2000 I.U/0.5ml Injection $\alpha$ (Generic)	As and When Required				

409	Acid Concentrate (Heamosafe)	As and When Required				
410	Acid Concentrate (Lympha)	As and When Required				
411	Arterio - Venous Fistula Needles (Paired, Arterio & Venous) 16G	As and When Required				
412	Arterio - Venous Fistula Needles (Paired, Arterio & Venous) 17G	As and When Required				
413	Renal Fistula Dressing HD Connection-Disconnection Kit	As and When Required				
414	Oxagal Disinfectant	As and When Required				
415	Puristerile Disinfectant for Water Plant 5 litre	As and When Required				
416	TOTAL RENAL	As and When Required				
417		As and When Required				
418	NON-PHARMACEUTICAL ITEMS	As and When Required				
419	Abdominal Gauze Swab X-Ray Detect.-24 Ply 22.5Cm X 22.5Cm	As and When Required				
420	Alcohol Preinjection Swabs	As and When Required				

421	Eye Pad, Size (1 5/8)" X (2 5/8)"	As and When Required				
422	Autoclaving Tape - 3/4 ( 19Mm X 50M)	As and When Required				
423	Bandages Cotton Crepe Ridged/Wrinkled Elastic -7.5Cm X 4.5M Bp	As and When Required				
424	Bandages Cotton Crepe Ridged/Wrinkled Elastic -7.5cm X 4.5m Bp	As and When Required				
425	Bandages Cotton Crepe Ridged/Wrinkled Elastic-10Cm X 4.5M Bp	As and When Required				
426	Bandages Cotton Crepe Ridged/Wrinkled Elastic -15Cm X 4.5M Bp	As and When Required				
427	Bandages Cotton Crepe Ridged/Wrinkled Elastic- 5Cm X 4.5M Bp	As and When Required				
428	Bandages Cotton Crepe Ridged/Wrinkled Elastic- 5Cm X 4.5M Bp	As and When Required				
429	Bandages Cotton L/Woven Bp - 7.5Cm X 4.5M	As and When Required				
430	Bandages Cotton	As and When				

	L/Woven Bp - 5Cm X 4.5M Bp	Required				
431	Bandages Cotton L/Woven Bp- 10Cm X 4.5M	As and When Required				
432	Bandages Cotton L/Woven Bp - 15Cm X 4.5M	As and When Required				
433	Bandages Elastic Skin Adhesive Porous Plaster Bp-10Cmx4.5M	As and When Required				
434	Bandages Elastic Skin Adhesive Porous Plaster- 7.5Cmx4.5M Bp	As and When Required				
435	Surgical Blades With Handle Size 11	As and When Required				
436	Brain Swabs	As and When Required				
437	Cotton Gauze Plain L/Wvn Absorb- 91Cmx91M 1500G Bp	As and When Required				
438	Cotton Gauze X- Ray Detectable L/Wvn Absorb- 36X100 Yds 1500G Bp	As and When Required				
439	Cotton Wool Absorb White - 400 Gms Bp	As and When Required				
440	Gauze Swabs Dressing 12 Ply 10Cm X 10Cm, Sterile	As and When Required				

441	Micropore Tape Size - 2.3Cm X9.44M	As and When Required				
442	Micropore Tape Adhesive 5Cm X 4.5M	As and When Required				
443	Micropore Tape Adhesive 7.5Cm X 4.5M	As and When Required				
444	Adhesive Tape Surgical Porous, Transparent 2.5cm x 9.14M	As and When Required				
445	Paraffin Gauze Dressing 10Cm X 10Cm	As and When Required				
446	Dressing, Iv Cannula, Adhesive-Sz 7Cm X 8.5Cm	As and When Required				
447	Skin Grafting Blade Standard	As and When Required				
448	Surgical Blades Size 15, S.S/C.S On Disp Bp Handle Size 6	As and When Required				
449	Surgical Blades Size 23, S.S/C.S. On Disp Bp Handle	As and When Required				
450	Zinc Oxide Strapping - Size 10Cm X 4.5M Bpc	As and When Required				
451	Zinc Oxide Strapping - Size 5Cm 4.5M Bpc	As and When Required				
452	Zinc Oxide	As and				

	Strapping - Size 7.5Cm X 4.5M Bpc	When Required				
453	Bandages Plaster of Paris - 20cm x 2.70m Bp (Gypsona)	As and When Required				
454	Bandages Plaster of Paris - 10cm x 2.70m Bp (Gypsona)	As and When Required				
455	Bandages Plaster of Paris - 7.5cm x 2.70m Bp (Gypsona)	As and When Required				
456	Bandages Plaster of Paris - 15cm x 2.70m Bp (Gypsona)	As and When Required				
457	Cotton Stockinette Bp- 8Cm X 10M	As and When Required				
458	Surgical cap (disposable) sky blue/ light green	As and When Required				
459	Adhesive Skin Traction Kit, Adult	As and When Required				
460	Traction Kit, Skin, Child	As and When Required				
461	Adult Skin Traction Kit	As and When Required				
462	Pediatric Skin Traction Kit	As and When Required				
463	Micro Cellular Rubber	As and When Required				
464	Spinal Corsets -	As and				

	Thoraco-Lumbar (Tl)	When Required				
465	Orthopaedic /Undercast Padding (3") 7.5Cm*2.7M (Soft Bandage)	As and When Required				
466	Orthopaedic /Undercast Padding (6") 15Cm*2.7M (Soft Bandage)	As and When Required				
467	Orthopaedic /Undercast Padding (8") 20Cm*2.7M (Soft Bandage)	As and When Required				
468	Orthopaedic/Undercast Padding (4") 10Cm*2.7M (Soft Bandage)	As and When Required				
469	Cervical Rigid Collar (Large)	As and When Required				
470	Cervical Rigid Collar (Medium)	As and When Required				
471	Standard Rigid Adjustable Cervical Collars	As and When Required				
472	Airway Guedel - Size 0	As and When Required				
473	Airway Guedel - Size 00	As and When Required				
474	Airway Guedel - Size 1	As and When Required				
475	Airway Guedel - Size 2	As and When Required				

476	Airway Guedel - Size 4	As and When Required				
477	Airway Guedel - Size 3	As and When Required				
478	Airway Guedel - Size 5	As and When Required				
479	Airways Laryngeal Mask No 2	As and When Required				
480	Airways Laryngeal Mask No 2.5	As and When Required				
481	Airways Laryngeal Mask No 3	As and When Required				
482	Airways Laryngeal Mask No 4	As and When Required				
483	Airways Laryngeal Mask No 5	As and When Required				
484	Ambu Bags With Masks - Adult	As and When Required				
485	Ambu Bagswith Masks - Child	As and When Required				
486	Ambu Bags With Masks - Neonate	As and When Required				
487	Non Breather Masks Adult	As and When Required				
488	Non Breather Masks Paediatric	As and When Required				
489	Nasal Prongs For Oxygen Delivery - Adult Size	As and When Required				

490	Nasal Prongs For Oxygen Delivery - Paed Size	As and When Required				
491	Nasal Prongs For Oxygen Delivery - Neonatal Size	As and When Required				
492	Nebulizing Kit, Adult	As and When Required				
493	Nebulizing Kit, Paediatric	As and When Required				
494	Oxygen Mask With Strap - Adult	As and When Required				
495	Oxygen Mask with Strap - Child Size	As and When Required				
496	Oxygen Mask With Strap - Neonate Size	As and When Required				
497	Mask Anaesthetic Adult -SIZE 3	As and When Required				
498	Mask Anaesthetic Adult -SIZE 4	As and When Required				
499	Mask Anaesthetic Adult -SIZE 5	As and When Required				
500	Wooden Tongue Depressor 140Mmx19Mm	As and When Required				
501	Catheter Folley's' 16Fg 30Mls-3 Way	As and When Required				
502	Catheter Folley's' 18Fg 30Mls-3 Way	As and When Required				

503	Catheter Folley's 20Fg 30Mls-3 Way	As and When Required				
504	Catheters Folley's 30ml - Size - 22FG 3 Way (Siliconised)	As and When Required				
505	Catheters Folley's 30ml - Size - 24FG 3 Way (Siliconised)	As and When Required				
506	Catheters Folley'S 30MI - Size - 16 FG	As and When Required				
507	Catheters Folley's 30MI - Size 18 FG 2 Way	As and When Required				
508	Catheters Folley's 30MI - Size - 12 FG 2 Way	As and When Required				
509	Catheters Folley's 30MI - Size - 14 FG 2 Way	As and When Required				
510	Catheters Folley's 30MI - Size - 20 FG 2 Way	As and When Required				
511	Catheters Folley's 3 - 5MI - Size - 8 FG 2 Way	As and When Required				
512	Catheters Folley's 5MI - Size - 6 FG 2 Way	As and When Required				
513	Condom Catheters/ Uridoms Large	As and When Required				
514	Condom Catheters/ Uridoms Medium	As and When Required				

515	Condom Catheters/ Uridoms Small	As and When Required				
516	Catheters Nelaton Fg 12	As and When Required				
517	Nelaton Catheter Fg14, One Way	As and When Required				
518	Catheters Nelaton Fg 16	As and When Required				
519	Suction Catheters - Size 14 Fg	As and When Required				
520	Suction Catheters - Size 18 Fg	As and When Required				
521	Suction Catheters - Size 8 Fg	As and When Required				
522	Suction Catheters - Size 10 Fg	As and When Required				
523	Suction Catheters - Size 12 Fg	As and When Required				
524	Suction Catheter Size 16 Fg	As and When Required				
525	Suction Catheters - Size 4 Fg	As and When Required				
526	Suction Catheters - Size 6 Fg	As and When Required				
527	Suction Catheters With Regulatory	As and When				

	Valve - Size 4 Fg	Required				
528	Suction Catheters With Regulatory Valve FR 6	As and When Required				
529	Suction Catheters With Regulatory Valve - Size 8 FG	As and When Required				
530	Suction Catheters With Regulatory Valve FR 12	As and When Required				
531	Suction Catheters With Regulatory Valve FR 16	As and When Required				
532	Double J Stent With Guide Wire/Stent Positioner 18 X 3fr	As and When Required				
533	Double J Stent With Guide Wire/Stent Positioner 20 X 4fr	As and When Required				
534	Double J Stent With Guide Wire/Stent Positioner 26 X 4.7fr	As and When Required				
535	Double J Stent With Guide Wire/Stent Positioner 26 X 6fr	As and When Required				
536	Colostomy Bag, Size 280Mm X 160Mm, Adult	As and When Required				
537	Colostomy Bag, Paediatric 150Mm X 150Mm	As and When Required				

538	Colostomy Bag, Size 180mm x 150mm, Paediatric	As and When Required				
539	Urine Collector Bag 100ml	As and When Required				
540	Cord Clamp (Umbilical)	As and When Required				
541	Identification Band - Baby	As and When Required				
542	Identification Band - Adult	As and When Required				
543	Maternity Pads (Towels)	As and When Required				
544	Diapers (Mini) Paediatric	As and When Required				
545	Diapers (Midi) Paediatric	As and When Required				
546	Diapers (Maxi) Paediatric	As and When Required				
547	Diapers (Junior) Paediatric	As and When Required				
548	Diapers (Extra Large) Adult	As and When Required				
549	Diapers (Large) Adult	As and When Required				
550	Diapers (Medium)	As and				

	Adult	When Required				
551	Dispensing envelope, Plastic, Resealable (1x1000)	As and When Required				
552	Endotracheal Cuffed Tube - Size 6.5	As and When Required				
553	Endotracheal Cuffed Tube - Size 7.0	As and When Required				
554	Endotracheal Cuffed Tube - Size 7.5	As and When Required				
555	Endotracheal Tube Cuffed Size 3.5mm	As and When Required				
556	Endotracheal Tube Size 5.0 Cuffed	As and When Required				
557	Endotracheal Cuffed Tube - Size 5.5	As and When Required				
558	Endotracheal Tube Uncuffed - Size 2.5mm	As and When Required				
559	Endotracheal Tube Uncuffed - Size 3.0mm	As and When Required				
560	Endotracheal Tube Uncuffed - Size 3.5mm	As and When Required				
561	Endotracheal Cuffed Tube - Size 8.0	As and When Required				
562	Endotracheal Tube Cuffed Size	As and When				

	4.5mm	Required				
563	Endotracheal Tube Uncuffed - Size 4.5mm	As and When Required				
564	Feeding Tubes - Size 10 Fg	As and When Required				
565	Feeding Tubes - Size 14 Fg	As and When Required				
566	Feeding Tubes - Size 4 FG	As and When Required				
567	Feeding Tubes - Size 20 FG	As and When Required				
568	Feeding Tubes - Size 22 FG	As and When Required				
569	Feeding Tubes - Size 12 FG	As and When Required				
570	Feeding Tubes - Size 16 FG	As and When Required				
571	Feeding Tubes - Size 18 FG	As and When Required				
572	Feeding Tubes - Size 6 FG	As and When Required				
573	Feeding Tubes - Size 8 FG	As and When Required				
574	Rectal Tube - Ch24 L30Cm Ster Disp	As and When Required				

575	Rectal Tube - Ch20 L30Cm Ster Disp	As and When Required				
576	Tracheostomy Tube - Size 5.5 Cuffed	As and When Required				
577	Tracheostomy Tube - Size 5.0 Cuffed	As and When Required				
578	Tracheostomy Tube - Size 6.5 Uncuffed	As and When Required				
579	Tracheostomy Tube - Size 3.5 Uncuffed	As and When Required				
580	Tracheostomy Tube - Size 4.0 Cuffed	As and When Required				
581	Tracheostomy Tube - Size 4.5 Cuffed	As and When Required				
582	Tracheostomy Tube - Size 6.0 Uncuffed	As and When Required				
583	Tracheostomy Tube - Size 7.0 Cuffed	As and When Required				
584	Tracheostomy Tube Size 8.0 Cuffed	As and When Required				
585	Urine Bags Grad.With Inlet&Outlet - 2000Mls	As and When Required				
586	Yankauer Suction Tube With Handle	As and When Required				

587	Blood Giving Sets Double Chamber	As and When Required				
588	Infusion Giving Sets With Air Inlet	As and When Required				
589	Solusets for Blood	As and When Required				
590	Solusets for Fluids	As and When Required				
591	Tourniquet	As and When Required				
592	Under water seal drainage bottle	As and When Required				
593	Gloves Surgeon - Size 8.0 Sterile	As and When Required				
594	Gloves Surgeon, Size 7.5 Sterile (Powder Free)	As and When Required				
595	Gloves Gynaecological Size 7.5" Sterile	As and When Required				
596	Gloves Latex Examination Disposable Medium	As and When Required				
597	Gloves Surgeon - Size 7.0 Sterile	As and When Required				
598	Gloves Surgeon - Size 7.5 Sterile	As and When Required				
599	Intercostal	As and				

	Drainage Tubes With Trocar- Size 24 Fg	When Required				
600	Intercostal Drainage Tube With Trocar Size Size 16Fg	As and When Required				
601	Intercostal Drainage Tube With Trocar Size 28Fg	As and When Required				
602	Intercostal Drainage Tube With Trocar Size Size 30Fg	As and When Required				
603	Intercostal Drainage Tubes - Size 28 Fg	As and When Required				
604	Intercostal Drainage Tubes - Size 32 Fg	As and When Required				
605	Mini Close Wound Drainage/Suction Unit	As and When Required				
606	Heat Moisture Exchange Bacterial/Viral Filter - Adult	As and When Required				
607	Heat Moisture Exchange Bacterial/Viral Filter - Paediatric	As and When Required				
608	Intraocular Lenses--+21D, Posterior	As and When Required				
609	Intraocular Lenses--+22D, Posterior	As and When Required				

610	Intraocular Lenses 23 Diopters, Posterior	As and When Required				
611	I.V. Cannulaes - 16G	As and When Required				
612	I.V. Cannulaes - 26G	As and When Required				
613	I.V. Cannulaes - 18G	As and When Required				
614	I.V. Cannulaes - 20G	As and When Required				
615	I.V. Cannulaes - 22G	As and When Required				
616	I.V. Cannulaes - 24G	As and When Required				
617	Keratome Knives	As and When Required				
618	Paracentesis Knife	As and When Required				
619	Measuring Spoon Double Sided (2.5/5MI)	As and When Required				
620	Stock Control Cards	As and When Required				
621	Polythene Bags / Liners Black - 30 Litres	As and When Required				
622	Polythene Bags / Liners Red - 30	As and When				

	Litres	Required				
623	Polythene Bags / Liners Yellow - 30 Litres	As and When Required				
624	Polythene Bags / Liners Red - 50Litres	As and When Required				
625	Polythene Bags / Liners Black - 50Litres	As and When Required				
626	Polythene Bags / Liners Yellow - 50Litres	As and When Required				
627	Safety Boxes	As and When Required				
628	Needles Disposabe G21	As and When Required				
629	Needles Disposable G23	As and When Required				
630	Spinal Needle - 22G (0.9X90Mm) 3 1/2" Ster Disp	As and When Required				
631	Spinal Needle- 25G x 90Mm, (3 1/2") Sterile, Disp	As and When Required				
632	Fully Automatic Disposable Core Biopsy Gun With Needle, Disposable	As and When Required				
633	Suture Polyglycolic Acid 2/0, 75cm on 40mm ½ C RBN	As and When Required				

634	Suture Polyglycolic Acid No. 3/0, 75cm On 35mm 1/2 Circle RBN	As and When Required				
635	Suture Polyglactin 0 1/2C 45mm RBN 75cm.	As and When Required				
636	Suture Silk No. 2 on 45mm 75cm 1/2 Circle RBN	As and When Required				
637	Suture Polyglycolic No 2/0, 75cm 1/2C 31mm RBN	As and When Required				
638	Suture Polyglycolic No 2/0, 75cm 1/2C 40mm RBN	As and When Required				
639	Suture Polyglactin 910 Coated No.2/0,1/2 Circle,31Mm.75C m Rbn (Ethicon)	As and When Required				
640	Suture Nylon No.1,1/2 Circle, 48mm, 100cm Rcn (Ethilon) - J & J (W738)	As and When Required				
641	Suture Polyglactin 2/0 75Cm On 40Mm 1/2 C Rbn	As and When Required				
642	Suture Polyglycolic Acid 2/0 90Cm 1/2C 36Mm Rcn	As and When Required				
643	Suture Polyglycolic Acid 5/0 75Cm On	As and When				

	19Mm ½ C Rbn	Required				
644	Suture, Polyglycolic Acid, No.3/0, 26mm 3/8c,75cm Rcn	As and When Required				
645	Suture Polyglactin Coated No 2, 1/2 Circle, 48mm, 75cm Rcn	As and When Required				
646	Suture Polyglactin Coated No 2,1/2 Circle,45mm ,75cm Rbn	As and When Required				
647	Suture Polyglactin Coated No 2/0,1/2 Circle,40mm.75c m Rbn	As and When Required				
648	Suture Polyglactin Coated No 2/0,1/2 Circle,31mm.75c m Rbn	As and When Required				
649	Suture Polyglactin Coated No 2/0,1/2 Circle,36mm.90c m Ten	As and When Required				
650	Suture Nylon No 2/0, 3/8 Circle,45mm,100 cm Rcn	As and When Required				
651	Suture Nylon No.2/0,3/8 Circle, 36Mm. 90Cm RCN	As and When Required				
652	Suture Nylon No.1,1/2 Circle, 48mm, 100cm RCN	As and When Required				
653	Suture Nylon 9/0,	As and				

	30Cm, 6.5Mm 3/8C micro spatulated	When Required				
654	Suture Polyglactin 2 90Cm On 45Mm ½C RCN	As and When Required				
655	Suture Polyglactin 2/0 75Cm On 40Mm ½ C RCN	As and When Required				
656	Suture Polyglactin No 3/0 75Cm, 26Mm 3/8 C RCN	As and When Required				
657	Suture Polyglactin No 6/0, 45Cm, 17Mm 1/2C RCN	As and When Required				
658	Suture Polyglactin No 8/0 Micropoint - Spatula 6.5mm 3/8c, 30cm	As and When Required				
659	Suture Polyglactin No. 4/0, 75cm 16mm 3/8C RCN	As and When Required				
660	Suture Polyglactin No.5/0, 45Cm 17Mm 3/8C RCN	As and When Required				
661	Suture Polyglactin 3/0 75Cm On 22Mm ½C RBN	As and When Required				
662	Suture Polyglactin 1 75Cm On 40Mm ½C RBN	As and When Required				
663	Suture Polyglactin 2 90Cm On 45Mm ½C RCN	As and When Required				
664	Suture Polypropylene No,3/0 75cm ½C	As and When				

	22mm Rbn	Required				
665	Suture Polypropylene-3/0 90cm ½C 26mm,Rbn, Double Armed	As and When Required				
666	Suture Polyglactin, No.1 On 40mm, 90cm 1/2 circle RCN	As and When Required				
667	Suture Polyglactin No 1, 100cm on 65mm 3/8 Circle Blunt	As and When Required				
668	Suture Polyglycolic Acid No 4/0 75cm On 22mm 1/2 Circle Rbn	As and When Required				
669	Suture Poliglecaprone 3/0 26mm 3/8 Circle ,75cm Rcn	As and When Required				
670	Suture Polydiaxanone (Pds) No 3/0 , 22mm 1/2 Circle 75cm Rbn	As and When Required				
671	Suture Polydiaxanone (Pds) No. 2/0 On 30mm 1/2circle 75cm Taper Point	As and When Required				
672	Suture Polyglactin Coated, No. 1, 75cm, 40mm, Rcn, 1/2 C	As and When Required				
673	Suture Nylon No 1 75cm, 40mm	As and When				

	3/8 C Rcn	Required				
674	Suture Braided Polyglactin 910 No. 1 RB/TC 40mm (Double arm) Heavy 1/2C 180cm	As and When Required				
675	Syringes 2Pc- 10MI Rup With G 21 Needle X 11/2	As and When Required				
676	Syringes 2Pc- 20MI With G21 Needle X 11/2	As and When Required				
677	Syringes 2Pc- 2MI Rup With G23 Needle X 1	As and When Required				
678	Syringes 2Pc - 5MI Rup With G 21 Needle X 11/2	As and When Required				
679	Syringes 60ml without Needle, Short Nozzle (Concentric)	As and When Required				
680	Syringes 60ml Without Needle, Long Nozzle (Concentric)	As and When Required				
681	Syringes A D- Fixed Dose of 0.5ml With 23G Needle	As and When Required				
682	Syringes A D- Fixed Dose of 0.05ml With 27G Needle for B.C.G	As and When Required				
683	Sterilization Pouch (19Cmx33Cm)	As and When Required				

684	TOTAL NON-PHARMACEUTICALS	As and When Required				
685		As and When Required				
686	LABORATORY COMMODITIES	As and When Required				
687	Blood Collection Needle G21	As and When Required				
688	Bovine Albumin 30%	As and When Required				
689	Blood Collection Needle G23	As and When Required				
690	Blood Collection Tube (Red Top 4 MI)	As and When Required				
691	Blood Grouping Antisera (Ant-A)	As and When Required				
692	Blood Grouping Antisera (Ant-B)	As and When Required				
693	Blood Grouping Antisera (Anti -D Igm Monoclonal)	As and When Required				
694	Brucella Arbortus Kit (Antigen Test)	As and When Required				
695	Brucella Melitensis Kit (Antigen Test)	As and When Required				
696	Capillary Tube (Heparinised)	As and When				

	75UI	Required				
697	Crag (Cryptococcal Antigen Test), Strips	As and When Required				
698	Crystall Violet Powder	As and When Required				
699	Carry Blair Media Powder	As and When Required				
700	EDTA-K Blood Collection Tubes (Purple) 4Mls	As and When Required				
701	ESR Tube With Stand	As and When Required				
702	Fuschin Basic	As and When Required				
703	Giemsa Stain	As and When Required				
704	Glucose Test Strips (i-Sens). One meter issued free of charge with every purchase of 10 packs of strips	As and When Required				
705	Glucose Test Strips (Bionime). One meter issued free of charge with every purchase of 10 packs of strips	As and When Required				
706	Helicobacter Pylori Rapid Kit	As and When				

	(Antigen)	Required				
707	Hepatitis B (Hbsag) Test Strips	As and When Required				
708	High Vaginal Swabs (Sterile)	As and When Required				
709	Oropharyngeal swabs- without media	As and When Required				
710	Indian Ink (Nigrosin)	As and When Required				
711	Leishman Stain (Powder)	As and When Required				
712	Lens Cleaning Tissue	As and When Required				
713	Microscope Slides (Plain)	As and When Required				
714	Microscope Slides Frosted	As and When Required				
715	Measuring Cylinder 250ml	As and When Required				
716	Needle Holders	As and When Required				
717	Plastic Centrifuge Tubes (15Mls) With A Screw Cap	As and When Required				
718	Plastic Centrifuge Tubes (50Mls) With A Screw	As and When Required				

	Cap					
719	Pregnacy Test Kit	As and When Required				
720	Pap Smear Kit	As and When Required				
721	Rheumatoid Factor Kit 50	As and When Required				
722	Salmonella Antigen Stool Test Kit, 25 Tests	As and When Required				
723	Sodium Chloride	As and When Required				
724	Stool Occult Blood Test (Tablet)	As and When Required				
725	Tube Centrifuge 50ml Graduated Screw Cap Falcon	As and When Required				
726	Thiosulphate Citrate Bile Salt Sucrose (TCBS)	As and When Required				
727	Urine Containers (Plastic)	As and When Required				
728	VDRL Test Strips - Syphilis Screening	As and When Required				
729	Asot Kit (50 Tests)	As and When Required				
730	Methanol Ar	As and When Required				

731	Universal Bottles (Glass)	As and When Required				
732	Bijou Bottles	As and When Required				
733	Urine Strips - 10 Parameters	As and When Required				
734	Oil Immersion	As and When Required				
735	Glycerol	As and When Required				
736	Neutral Red	As and When Required				
737	Anti-Human Globulin (AHG)	As and When Required				
738	Haemoglobin Microcuvettes - Hemocontrol	As and When Required				
739	Haemoglobinometer (HB Meter) - Diaspect	As and When Required				
740	Haemoglobinometer Cuvettes - Diaspect	As and When Required				
741	HBA1C (Glycated Haemoglobin) Test Analyzer - SD Biosensor	As and When Required				
742	HBA1C (Glycated Haemoglobin) Cuvettes - SD	As and When Required				

	Biosensor					
743	Polypots (With Scooper Spoon)	As and When Required				
744	Buffer Tablets Ph 7.2	As and When Required				
745	Buffer Tablets Ph 6.8	As and When Required				
746	Acetone	As and When Required				
747	Cover Slips	As and When Required				
748	Micro Pippette Tips (Blue) 200ul -1000ul	As and When Required				
749	Micro Pippette Tips (Yellow) 200ul-1000ul	As and When Required				
750	Adhesive Plate 96-Well Seals	As and When Required				
751	Micro-Centrifuge Tube 1.5ul	As and When Required				
752	Potassium Iodide Powder	As and When Required				
753	Heamatology Reagents	As and When Required				
754	Medonic Diluent	As and When Required				

755	Medonic Lyse	As and When Required				
756	Hemolyzer 5NG (Open mode)	As and When Required				
757	Hemolyzer 3NG	As and When Required				
758	Swelab 3 Part Diluent	As and When Required				
759	Swelab 3 Part Lyse	As and When Required				
760	Chemistry Reagents and consumables	As and When Required				
761	Fuji Dri Chem Plain tube 0.5ml	As and When Required				
762	Fuji analyser thermal roll	As and When Required				
763	TOTAL LAB COMMODITIES	As and When Required				
764		As and When Required				
765	LINEN ITEMS	As and When Required				
766	Baby Wrappers	As and When Required				
767	Toto/Baby Gown, Baby Wrapper	As and When				

	Material, Size: Small	Required				
768	Toto/Baby Gown, Baby Wrapper Material, Size: Medium	As and When Required				
769	Toto/Baby Gown, Baby Wrapper Material Size: Large	As and When Required				
770	Bed Sheets, Large Size 160cm x 240cm, 100% Cotton	As and When Required				
771	Bed Spreads Std (Counter-Panes) - Light Cream- 160X230Cm	As and When Required				
772	Blankets Cellular Std - 180X230Cm	As and When Required				
773	Theatre Boots Antistatic - Size 6	As and When Required				
774	Theatre Boots Antistatic - Size 7	As and When Required				
775	Theatre Boots Antistatic - Size 8	As and When Required				
776	Theatre Boots Antistatic - Size 10	As and When Required				
777	Theatre Boots Antistatic - Size 11	As and When Required				
778	Gumboots Size 7 (Black)	As and When				

		Required				
779	Gumboots Size 8 (Black)	As and When Required				
780	Gumboots Size 9 (Black)	As and When Required				
781	Gumboots Size 10 (Black)	As and When Required				
782	Gumboots Size 11 (Black)	As and When Required				
783	Cot Blankets 90 X 130Cm	As and When Required				
784	Cotton Material Green For Theatre Use, 36" X 40M	As and When Required				
785	Disposable Surgical Gown - Large	As and When Required				
786	Disposable Surgical Gown - Medium	As and When Required				
787	Disposable Surgical Gown - X-Large	As and When Required				
788	Draw Sheets, 66" X 36	As and When Required				
789	Operating Theatre Suits - Small Size	As and When Required				
790	Operating Theatre Suits - Large	As and When Required				

791	Operating Theatre Suits - Medium	As and When Required				
792	Operating Theatre Suits - X Large Size	As and When Required				
793	Patient Uniform Pajamas Blue White Extra Large (Gen Ward)	As and When Required				
794	Patient Uniform-Pyjamas Blue/White Cotton Drill-Large (Psych Unit)	As and When Required				
795	Patient Uniform-Pyjamas Blue/White Cotton Drill-Medium (Psych Unit)	As and When Required				
796	Patient Uniform-Pyjamas Blue/White Cotton Drill-Small (Psych Unit)	As and When Required				
797	Patient Uniform-Pyjamas Blue/White Cotton Drill-Xtra Large (Psych Unit)	As and When Required				
798	Patient Uniform-Pyjamas Blue/White Cotton Drill-Xlarge (Psych Ward)	As and When Required				
799	Patient Uniform-	As and				

	Pyjamas Blue/White Striped - Large (Gen Ward)	When Required				
800	Patient Uniform- Pyjamas Blue/White Striped - Medium (Gen Ward)	As and When Required				
801	Patient Uniform- Pyjamas Blue/White Striped - Small (Gen Ward)	As and When Required				
802	Patient Uniform Pajamas Green And White Stripped Large (Gen Ward)	As and When Required				
803	Patient Uniform Pajamas Green/White Striped Medium (Gen Ward)	As and When Required				
804	Patient Uniform Pajamas Green And White Stripped Small (Gen Ward)	As and When Required				
805	Patient Uniform Pajamas Green/White Striped Extra Large (Gen Ward)	As and When Required				
806	Surgical Gown Cotton Green Standard - Medium	As and When Required				
807	Surgical Gown Cotton Green	As and When				

	Standard - Small	Required				
808	Surgical Gown Cotton Green Standard - Large	As and When Required				
809	Surgical Gown Cotton Green Standard - Extra Large	As and When Required				
810	Patient Uniform- Mother Gowns (Breast-Feeding) Small	As and When Required				
811	Patient Uniform- Mother Gowns (Breast-Feeding Mothers) Medium	As and When Required				
812	Patient Uniform- Mother Gowns (Breast-Feeding Mothers) Large	As and When Required				
813	Patient Uniform- Mother Gowns (Breast-Feeding Mothers) X-Large	As and When Required				
814	Patient Uniform Dress Green And White Stripped X Large (For General Wards)	As and When Required				
815	Patient Uniform Dress Green And White Stripped Small (For General Wards)	As and When Required				
816	Patient Uniform Dress Green And White Stripped Large (For General Wards)	As and When Required				

817	Patient Uniform Children,Pyjama Suit Size Small (6-12 Years)	As and When Required				
818	Patient Uniform Children,Pyjama Suit Size Medium (6-12 Years)	As and When Required				
819	Patient Uniforms Pink (Free Dress) Antenatal Mothers Size Medium	As and When Required				
820	Patient Uniforms Pink (Free Dress) Antenatal Mothers Size Large	As and When Required				
821	Patient Uniforms Pink (Free Dress) Antenatal Mothers Size X-Large	As and When Required				
822	Pillow Cases/ Slips With Inner Flep 50Cm X 70Cm White	As and When Required				
823	Pillow Covered With Mackintosh Water Proof	As and When Required				
824	Apron Disposable White Polythene	As and When Required				
825	Theatre Aprons - Reusable	As and When Required				
826	Theatre Scholls (Clocs) Size 10-10½	As and When Required				

827	Theatre Scholls (Clocs) Size 11- 11½	As and When Required				
828	Theatre Scholls (Clocs) Size 6-6½	As and When Required				
829	Theatre Scholls, (Clocs) Size 7-7½	As and When Required				
830	Theatre Scholls (Clocs) Size 8½- 9½	As and When Required				
831	Water Proof Sheeting Material,Deep Green (Mackintosh) 100cm X 50m	As and When Required				
832	Ripple Mattress	As and When Required				
833	Mattress for Standard Hospital Bed	As and When Required				
834	TOTAL LINEN	As and When Required				
835		As and When Required				
836	X-RAYS ITEMS	As and When Required				
837	Drystar Dt5 B Films For Direct Digital Thermal Printing For Use In Computerised Tomography (Ct)	As and When Required				

	In Medical Imaging Size 35 X 43 Cm. (AGFA)					
838	Drystar DT5 B Films 25 x 30cm (AGFA)	As and When Required				
839	Drystar DT5 B Films 20 x 25cm (AGFA)	As and When Required				
840	Dryview DVE Laser Imaging Film {20 x 25cm (8 x 10 Inch)} Carestream	As and When Required				
841	Dryview DVE Laser Imaging Film {28 x 35cm (11 x 14 Inch)} Carestream	As and When Required				
842	Dryview DVE Laser Imaging Film {35 x 43cm (14 x 17 Inch)} Carestream	As and When Required				
843	Dryview DVM Mammography Laser Imaging Film {20 x 25cm (8 x 10 Inch)} Carestream	As and When Required				
844	Sod Amid / Meglumine Amidotrizoate-370Mg/MI	As and When Required				
845	Ultrasonic Gel	As and When Required				
846	TOTAL X-RAY	As and When				

	ITEMS	Required				
847		As and When Required				
848	DENTAL ITEMS	As and When Required				
849	Absorbent Paper Points Assorted Sizes 45-80	As and When Required				
850	Absorbent Paper Point Sz 15-40(28Mm- Length)	As and When Required				
851	Acrylic Teeth Lower Anterior Set Of 6	As and When Required				
852	Acrylic Teeth Upper Anterior Set Of 6	As and When Required				
853	Arch Bars	As and When Required				
854	Arch Wire	As and When Required				
855	Clinical Wire 0.4Mm Roll	As and When Required				
856	Dental Needles 27G, Short	As and When Required				
857	Endodontic Files Size Range 15 – 40 (Dental)	As and When Required				
858	Endodontic Reamers Sizes 15-40 (21Mm	As and When Required				

	25Mm 28Mm)					
859	Endodontic Files Size 45-80 (21Mm 25Mm 28Mm)	As and When Required				
860	Light Cure Composite Materials (Kit)	As and When Required				
861	Lignocaine 2% Dental Cart With Adrenaline-1:80 000	As and When Required				
862	Plaster of Paris x (25Kg)	As and When Required				
863	TOTAL DENTAL ITEMS	As and When Required				
864		As and When Required				
865	PUBLIC HEALTH PRODUCTS	As and When Required				
866	Pirimiphos Methyl 300gm/Ltrs Cs 833ml	As and When Required				
867	Spray Pumps (Plastic)	As and When Required				
868	Chlorine Powder 4gm Satchets	As and When Required				
869	Chlorine Tablets 67mg	As and When Required				

870	Chlorine Tablets 67mg	As and When Required				
871	Calcium Hypochlorite - 65%	As and When Required				
872	Food Sampling Bags (Ziplock)	As and When Required				
873	TOTAL PUBLIC HEALTH PRODUCTS	As and When Required				
874		As and When Required				
875		As and When Required				
876	Implant Removal Set with Green Towels (Drapes)	As and When Required				
877	Metallic Vaginal Speculum Cusco - Large, Medium and Small	As and When Required				
878	Disposable Cusco Vaginal Speculum - Medium	As and When Required				
879	Disposable Cusco Vaginal Speculum-Large	As and When Required				
880	Sims Vaginal Retractor Double End	As and When Required				
881	Thyroectomy set	As and When Required				

882	Laparotomy Sets With Green Towels (Drapes)	As and When Required				
883	Implant Insertion Set With Green Towels (Drapes)	As and When Required				
884	Prostatectomy Set With Green Towels (Drapes)	As and When Required				
885	Basic Dressing Set with Green Towels (Drapes)	As and When Required				
886	Digital Foetal Doppler	As and When Required				
887	Stethoscope	As and When Required				
888	Baby Weighing Scale 10-20Kgs	As and When Required				
889	Weight And Height Weighing Scale (Digital)	As and When Required				
890	Oxygen Concentrator	As and When Required				
891	Sphygmomanometer Digital (Aneroid)	As and When Required				
892	Food Trolley	As and When Required				
893	Trolley Anaesthetic drug	As and When Required				
894	Trolley dressing	As and When				

		Required				
895	Pulse Oximeter Hand-Held complete with paediatric, adult and neonate probes	As and When Required				
896	Muac Tape (Paediatric)	As and When Required				
897	MUAC Tape, Mid Upper Arm Circumference Adult	As and When Required				
898	Suction Machine Electrical	As and When Required				
899	Crutches Elbow Standard Adjustable 69Cm-99Cm	As and When Required				
900	Crutches Axillary Aluminium Adjustable 1300-1500Mm/52-60	As and When Required				
901	Darts Board With 1 Set Of Darts Arrows	As and When Required				
902	Hemafuse-Auto Transfusion Device (Complete unit with Accessories)	As and When Required				
903	12 Pin 3/5-Lead Ecg Host Cable, ESU-P	As and When Required				
904	7 Pin SPO2 Extension Cable	As and When Required				

905	Reusable SPO2 Sensor, ADT, Finger-Clip	As and When Required				
906	Reusable SPO2 Sensor, PDT, Finger-Clip	As and When Required				
907	Reusable SPO2 Sensor, Neo, Bandage	As and When Required				
908	Adult Reusable Temperature Probe (Skin Surface)	As and When Required				
909	Pediatric/Neonatal Reusable Temperature Probe (Skin Surface)	As and When Required				
910	NIBP Hose, Inbuilt Connector (3m)	As and When Required				
911	5-Lead Leadset, ADT/PE D, IEC, Clip	As and When Required				
912	Breathing Circuits Reusable Accessory Kit (Child)	As and When Required				
913	Breathing Circuits Reusable Accessory Kit (Adult)	As and When Required				
914	Bipolar Forceps (21cm Curved)	As and When Required				
915	Bipolar Forceps Cable	As and When Required				

916	Reusable Silicon Rubber Plate (With Cable)	As and When Required				
917	MRI SONY Upt517bl 14*17 Films	As and When Required				
918	MRI Constrast Media:Omniscan 0.5mmol/MI 20ml	As and When Required				
919	CT Constrast Media:Omnipaque 350mg/ml, 100ml	As and When Required				
920	Drypro Sigma Sds 14*17 KONICA Films	As and When Required				
921	Injector Syringes (Dual Head) Single Use	As and When Required				
922	CT Connecting tube with Dual Check Value	As and When Required				
923	TOTAL BASIC EQUIPMENT AND CONSUMABLES	As and When Required				
924		As and When Required				
925	CHV KITS	As and When Required				
926	CHVS Weighing Scale (Hanging Type)	As and When Required				
927	CHVS First Aid Kit	As and When				

		Required				
928	CHVS Backpack Carrier Bag	As and When Required				
929	CHVS Jacket Medium	As and When Required				
930	CHVS Jacket Large	As and When Required				
931	TOTAL CHV KITS	As and When Required				
932		As and When Required				
933	COVID-19 SUPPLIES	As and When Required				
934	PPE Kit (Complete with protective coverall, pair goggles, pair nitrile gloves, face mask N-95, shoe cover pair)	As and When Required				
935	Eye Protective Goggles	As and When Required				
936	Infrared Clinical Thermometer CVD	As and When Required				
937	KN99 Face Mask CVD	As and When Required				
938	KN95 Respirator Mask (COV)	As and When				

		Required				
939	Coverall X-Large	As and When Required				
940	TOTAL COVID-19 SUPPLIES	As and When Required				
941		As and When Required				
942	ORTHOPAEDIC PRODUCTS	As and When Required				
943	DHS/DCS basic instrument set	As and When Required				
944	95° DCS plate, holes 6, St. steel	As and When Required				
945	95° DCS plate, holes 8, St. steel	As and When Required				
946	135° DHS plate, holes 5, St. steel	As and When Required				
947	DHS/DCS Lag screws, 12.5mm St. steel, length 50mm	As and When Required				
948	DHS/DCS Lag screws, 12.5mm St. steel, length 60mm	As and When Required				
949	DHS/DCS Lag screws, 12.5mm St. steel, length 70mm	As and When Required				
950	DHS/DCS Lag	As and				

	screws, 12.5mm St. steel, length 75mm	When Required				
951	DHS/DCS Lag screws, 12.5mm St. steel, length 80mm	As and When Required				
952	DHS/DCS Lag screws, 12.5mm St. steel, length 85mm	As and When Required				
953	DHS/DCS Lag screws, 12.5mm St. steel, length 90mm	As and When Required				
954	DHS/DCS Lag screws, 12.5mm St. steel, length 95mm	As and When Required				
955	DHS/DCS Lag screws, 12.5mm St. steel, length 100mm	As and When Required				
956	DHS/DCS Lag screws, 12.5mm St. steel, length 105mm	As and When Required				
957	DHS/DCS Lag screws, 12.5mm St. steel, length 110mm	As and When Required				
958	DHS/DCS Lag Screws, 12.5mm St. steel, length 115mm	As and When Required				
959	INTRAMEDULL ARY UNIVERSAL FEMUR NAIL	As and When Required				

	INSTRUMENT SET AND IMPLANTS					
960	IM universal Femur Nails instrument set	As and When Required				
961	Interlocking I. M femur nail, stainless steel, length 36cm,diameter 8mm	As and When Required				
962	Interlocking I. M femur nail, stainless steel, length 36cm,diameter 10mm	As and When Required				
963	Interlocking I. M femur nail, stainless steel, length 38cm,diameter 10mm	As and When Required				
964	Interlocking I. M femur nail, stainless steel, length 40cm,diameter 10mm	As and When Required				
965	Interlocking I. M femur nail, stainless steel, length 42cm,diameter 10mm	As and When Required				
966	Interlocking I. M femur nail, stainless steel, size 11mm ×	As and When Required				

	36cm					
967	Interlocking I. M femur nail, stainless steel, size 11mm × 38cm	As and When Required				
968	Interlocking I. M femur nail, stainless steel, size 11mm × 40cm	As and When Required				
969	Interlocking I. M femur nail, stainless steel, length 42cm,diameter 11mm	As and When Required				
970	Interlocking I. M femur nail, stainless steel, length 42cm,diameter 12mm	As and When Required				
971	Locking screws for I.M Femur nail diameter,4.9mm, stainless steel, length 30mm	As and When Required				
972	Locking screws for I.M Femur nail diameter,4.9mm, stainless steel, length 35mm	As and When Required				
973	Locking screws for I.M Femur nail diameter,4.9mm, stainless steel,	As and When Required				

	length 40mm					
974	Locking screws for I.M Femur nail diameter,4.9mm, stainless steel, length 45mm	As and When Required				
975	Locking screws for I.M Femur nail diameter,4.9mm, stainless steel, length 50mm	As and When Required				
976	Locking screws for I.M Femur nail diameter,4.9mm, stainless steel, length 55mm	As and When Required				
977	Locking screws for I.M Femur nail diameter,4.9mm, stainless steel, length 60mm	As and When Required				
978	INTRAMEDULLARY UNIVERSAL TIBIA NAIL INSTRUMENT SET AND IMPLANTS	As and When Required				
979	IM Universal Tibia Nails instrument set	As and When Required				
980	Interlocking I. M tibial nail, stainless steel, size 9mm × 34cm	As and When Required				

981	Interlocking I. M tibial nail, stainless steel, size 9mm × 36cm	As and When Required				
982	Interlocking I. M tibial nail, stainless steel, size 10mm × 34cm	As and When Required				
983	Interlocking I. M tibial nail, stainless steel, size 10mm × 36cm	As and When Required				
984	Interlocking I. M tibial nail, stainless steel, size 11mm × 34cm	As and When Required				
985	Interlocking I. M tibial nail, stainless steel, size 11mm × 36cm	As and When Required				
986	Interlocking I. M tibial nail, stainless steel, size 12mm × 36cm	As and When Required				
987	Locking screws for I.M tibial nail diameter,4.9mm, length 25mm stainless steel	As and When Required				
988	Locking screws for I.M tibial nail diameter,4.9mm, length 30mm, stainless steel	As and When Required				
989	Locking screws	As and				

	for I.M tibial nail diameter,4.9mm, length 40mm, stainless steel	When Required				
990	Locking screws for I.M tibial nail diameter,4.9mm, length 50mm, stainless steel	As and When Required				
991	Locking screws for I.M tibial nail diameter,4.9mm, length 55mm, stainless steel	As and When Required				
992	Locking Screws for I.M tibial nail diameter,4.9mm, Length 35mm, Stainless steel	As and When Required				
993	Locking Screws for I.M tibial nail diameter,4.9mm, length 45mm, stainless steel	As and When Required				
994	Locking Screws For Pnf/Reconstruction Nail Diameter 7.0+/- 1.4Mm Length 65Mm, Stainless Steel	As and When Required				
995	Locking Screws For Pnf/Reconstruction Nail Diameter 7.0+/- 1.4Mm Length 70Mm, Stainless Steel	As and When Required				
996	Locking Screws For Pnf/Reconstructio	As and When				

	n Nail Diametre 7.0+/- 1.4Mm Length 75Mm, Stainless Steel	Required				
997	Locking Screws For Pnf/Reconstructio n Nail Diametre 7.0+/- 1.4Mm Length 80Mm, Stainless Steel	As and When Required				
998	Locking Screws For Pnf/Reconstructio n Nail Diametre 7.0+/- 1.4Mm Length 85Mm, Stainless Steel	As and When Required				
999	Locking Screws For Pnf/Reconstructio n Nail Diametre 7.0+/- 1.4Mm Length 90Mm, Stainless Steel	As and When Required				
1000	Locking Screws For Pnf/Reconstructio n Nail Diametre 7.0+/- 1.4Mm Length 95Mm, Stainless Steel	As and When Required				
1001	Locking Screws For Pnf/Reconstructio n Nail Diametre 7.0+/- 1.4Mm Length 105Mm, Stainless Steel	As and When Required				
1002	Locking Screws For	As and When				

	Pnf/Reconstruction Nail Diameter 7.0+/- 1.4Mm Length 110Mm, Stainless Steel	Required				
1003	Locking Screws For Pnf/Reconstruction Nail Diameter 7.0+/- 1.4Mm Length 115Mm, Stainless Steel	As and When Required				
1004	Locking Screws For Reconstruction Nail Diameter, 5.9Mm , Stainless Steel, Length 65Mm	As and When Required				
1005	Locking Screws For Reconstruction Nail Diameter, 5.9Mm , Stainless Steel, Length70Mm	As and When Required				
1006	Locking Screws For Reconstruction Nail Diameter, 5.9Mm , Stainless Steel, , Length 75Mm	As and When Required				
1007	Locking Screws For Reconstruction Nail Diameter, 5.9Mm , Stainless Steel, Length 80Mm	As and When Required				
1008	Locking Screws	As and				

	For Reconstruction Nail Diameter, 5.9Mm , Stainless Steel, Length 85Mm	When Required				
1009	Locking Screws For Reconstruction Nail Diameter, 5.9Mm , Stainless Steel, Length 90Mm	As and When Required				
1010	Locking Screws For Reconstruction Nail Diameter, 5.9Mm , Stainless Steel, Length 95Mm	As and When Required				
1011	Locking Screws For Reconstruction Nail Diameter, 5.9Mm , Stainless Steel, Length 100Mm	As and When Required				
1012	Locking Screws For Reconstruction Nail Diameter, 5.9Mm , Stainless Steel, Length105Mm Stainless Steel	As and When Required				
1013	Locking Screws For Reconstruction Nail Diameter, 5.9Mm , Stainless Steel, Length	As and When Required				

	110Mm					
1014	Locking Screws For Reconstruction Nail Diameter, 5.9Mm , Stainless Steel, Length 115Mm	As and When Required				
1015	CANNUATED SCREW SET 6.5 mm	As and When Required				
1016	Cannulated Screw set 6.5mm	As and When Required				
1017	7.3mm cannulated screw, self-drilling, self-tapping, length 50mm, SS/TAN	As and When Required				
1018	7.3mm cannulated screw, self-drilling, self-tapping, length 70mm, SS/TAN	As and When Required				
1019	7.3mm cannulated screw, self-drilling, self-tapping, length 75mm, SS/TAN	As and When Required				
1020	7.3mm cannulated screw, self-drilling, self-tapping, length 80mm, SS/TAN	As and When Required				
1021	7.3mm cannulated screw, self-drilling, self-tapping, length 85mm, SS/TAN	As and When Required				

1022	7.3mm cannulated screw, self-drilling, self-tapping, length 90mm, SS/TAN	As and When Required				
1023	7.3mm cannulated screw, self-drilling, self-tapping, length 95mm, SS/TAN	As and When Required				
1024	7.3mm cannulated screw, self-drilling, self-tapping, length 100mm, SS/TAN	As and When Required				
1025	7.3mm cannulated screw, self-drilling, self-tapping, length 105mm, SS/TAN	As and When Required				
1026	7.3mm cannulated screw, self-drilling, self-tapping, length 110mm, SS/TAN	As and When Required				
1027	7.3mm cannulated screw, self-drilling, self-tapping, length 115mm, SS/TAN	As and When Required				
1028	SMALL FRAGMENTS INSTRUMENT SET AND IMPLANTS	As and When Required				
1029	Small fragment instrument set	As and When Required				
1030	Reconstruction Instrument Set	As and When				

		Required				
1031	3.5mm Cortical Bone Screw/Fully threaded, length 12mm, St. steel	As and When Required				
1032	3.5mm Cortical Bone Screw/Fully threaded, length 14mm, St. steel	As and When Required				
1033	3.5mm Cortical Bone Screw/Fully threaded, length 16mm, St. steel	As and When Required				
1034	3.5mm Cortical Bone Screw/Fully threaded, length 18mm, St. steel	As and When Required				
1035	3.5mm Cortical Bone Screw/Fully threaded, length 20mm, St. steel	As and When Required				
1036	3.5mm Cortical Bone Screw/Fully threaded, length 22mm, St. steel	As and When Required				
1037	3.5mm Cortical Bone Screw/Fully threaded, length 24mm, St. steel	As and When Required				
1038	3.5mm Cortical Bone Screw/Fully threaded, length 26mm, St. steel	As and When Required				
1039	3.5mm Cortical Bone Screw/Fully threaded, length 28mm, St. steel	As and When Required				
1040	3.5mm Cortical Bone Screw/Fully	As and When				

	threaded, length 30mm, St. steel	Required				
1041	Washer 7.0/4.7mm dia for small screws, St. steel.	As and When Required				
1042	4.0 mm Cancellous Bone Screw/Fully threaded, length 16mm,St.steel	As and When Required				
1043	4.0 mm Cancellous Bone Screw/Fully threaded, length 18mm,St.steel	As and When Required				
1044	4.0 mm Cancellous Bone Screw/Fully threaded, length 20mm,St.steel	As and When Required				
1045	4.0 mm Cancellous Bone Screw/Fully threaded, length 22mm,St.steel	As and When Required				
1046	4.0 mm Cancellous Bone Screw/Fully threaded, length 24mm,St.steel	As and When Required				
1047	4.0 mm Cancellous Bone Screw/Fully threaded, length 26mm,St.steel	As and When Required				
1048	4.0 mm Cancellous Bone Screw/Fully threaded, length	As and When Required				

	28mm,St.steel					
1049	4.0 mm Cancellous Bone Screw/Fully threaded, length 30mm,St.steel	As and When Required				
1050	4.0 mm Cancellous Bone Screw/Fully threaded, length 35mm,St.steel	As and When Required				
1051	4.0 mm Cancellous Bone Screw/Fully threaded, length 45mm,St.steel	As and When Required				
1052	4.0 mm Cancellous Bone Screw/Fully threaded, length 50mm,St.steel	As and When Required				
1053	4.0 mm Cancellous Bone Screw/Fully threaded, length 55mm,St.steel	As and When Required				
1054	4.0 mm Cancellous Bone Screw/Fully threaded, length 60mm,St.steel	As and When Required				
1055	4.0 mm Cancellous Bone Screw ½ threaded, length 12mm, St. steel	As and When Required				
1056	4.0 mm Cancellous Bone Screw ½ threaded, length	As and When Required				

	18mm, St. Steel					
1057	4.0 mm Cancellous Bone Screw ½ threaded, length 20mm, St. steel	As and When Required				
1058	4.0 mm Cancellous Bone Screw ½ threaded, length 22mm, St. steel	As and When Required				
1059	4.0 mm Cancellous Bone Screw ½ threaded, length 24mm, St. steel	As and When Required				
1060	4.0 mm Cancellous Bone Screw ½ threaded, length 26mm, St. steel	As and When Required				
1061	4.0 mm Cancellous Bone Screw ½ threaded, length 28mm, St. steel	As and When Required				
1062	4.0 mm Cancellous Bone Screw ½ threaded, length 30mm, St. steel	As and When Required				
1063	4.0 mm Cancellous Bone Screw ½ threaded, length 32mm, St. steel	As and When Required				
1064	4.0 mm Cancellous Bone Screw ½ threaded, length	As and When Required				

	35mm,St.steel					
1065	4.0 mm Cancellous Bone Screw ½ threaded, length 40mm,St.steel	As and When Required				
1066	4.0 mm Cancellous Bone Screw ½, length 45mm,St.steel	As and When Required				
1067	4.0 mm Cancellous Bone Screw ½, length 50mm,St.steel	As and When Required				
1068	4.0 mm Cancellous Bone Screw ½ threaded, length 55mm,St.steel	As and When Required				
1069	4.0 mm Cancellous Bone Screw ½ threaded, length60mm,St.st eel	As and When Required				
1070	4.0 Mm Cancellous Bone Screw ½ Threaded, Length 14Mm, St. Steel	As and When Required				
1071	4.0 Mm Cancellous Bone Screw ½ Threaded, Length 16Mm, St. Steel	As and When Required				
1072	DCP 3.5 St. Steel. Holes 5, length 62mm	As and When Required				
1073	DCP 3.5 St. Steel. Holes 10, length	As and When				

	122mm	Required				
1074	T-Plate 3.5, right angled, 3/3 holes, length 50mm, St. steel	As and When Required				
1075	T-Plate 3.5, right angled, 4/4 holes, length 56mm, St. steel	As and When Required				
1076	T-Plate 3.5, right angled, 3/3 holes, length 74mm, St. steel	As and When Required				
1077	T-Plate 3.5, right angled, 5/3 holes, length 74mm, St. steel	As and When Required				
1078	One- third tubular plate 3.5 with collar, 5 holes, length 64mm, St. steel	As and When Required				
1079	Reconstruction plates 3.5, straight St. steel, holes 12, length 166mm	As and When Required				
1080	Reconstructive plates 3.5, curved, St. steel, holes 10	As and When Required				
1081	Reconstructive plates 3.5, curved, St. steel, holes 11	As and When Required				
1082	Reconstructive plates 3.5, curved, St. steel, holes 12	As and When Required				
1083	Reconstructive plates 3.5, curved, St. steel, holes 13	As and When Required				

1084	Reconstructive plates 3.5, curved, St. steel, holes 14	As and When Required				
1085	ONE- THIRD TUBULAR PLATE 3.5 WITH COLLAR, 6 HOLES, LENGTH 76MM, ST. STEEL	As and When Required				
1086	ONE- THIRD TUBULAR PLATE 3.5 WITH COLLAR, 7 HOLES, LENGTH 88MM, ST. STEEL	As and When Required				
1087	ONE- THIRD TUBULAR PLATE 3.5 WITH COLLAR, 8 HOLES, LENGTH 100MM, ST. STEEL	As and When Required				
1088	RECONSTRUCT ION PLATES 3.5, STRAIGHT ST. STEEL, HOLES 5, LENGTH 58MM	As and When Required				
1089	RECONSTRUCT ION PLATES 3.5, STRAIGHT ST. STEEL, HOLES 6, LENGTH 70MM	As and When Required				
1090	RECONSTRUCT ION PLATES 3.5, STRAIGHT	As and When Required				

	ST. STEEL, HOLES 7, LENGTH 82MM					
1091	RECONSTRUCT ION PLATES 3.5, STRAIGHT ST. STEEL, HOLES 8, LENGTH 94MM	As and When Required				
1092	RECONSTRUCT ION PLATES 3.5, STRAIGHT ST. STEEL, HOLES 9, LENGTH 106MM	As and When Required				
1093	RECONSTRUCT ION PLATES 3.5, STRAIGHT ST. STEEL, HOLES 10, LENGTH 118MM	As and When Required				
1094	RECONSTRUCT ION PLATE 3.5, STRAIGHT ST. STEEL, HOLE 12 LENGTH 142MM	As and When Required				
1095	RECONSTRUCT IVE PLATES 3.5, CURVED, ST. STEEL, HOLE 4	As and When Required				
1096	RECONSTRUCT IVE PLATES 3.5, CURVED, ST. STEEL, HOLE 5	As and When Required				
1097	RECONSTRUCT IVE PLATES 3.5, CURVED, ST.	As and When Required				

	STEEL, HOLE 6					
1098	RECONSTRUCTIVE PLATES 3.5, CURVED, ST. STEEL, HOLE 7	As and When Required				
1099	RECONSTRUCTIVE PLATES 3.5, CURVED, ST. STEEL, HOLE 8	As and When Required				
1100	RECONSTRUCTIVE PLATES 3.5, CURVED, ST. STEEL, HOLE 9	As and When Required				
1101	Reconstruction Nails, Stainless Steel, Size 10Mmx36Cm	As and When Required				
1102	Reconstruction Nails, Stainless Steel, Size 10Mmx38Cm	As and When Required				
1103	Reconstruction Nails, Stainless Steel, Size 11Mmx36Cm	As and When Required				
1104	Reconstruction Nails, Stainless Steel, Size 11Mmx38Cm	As and When Required				
1105	Reconstruction Nails, Stainless Steel, Size 11Mmx40Cm	As and When Required				
1106	Drill Bit dia. 2.5mm, length 100/75mm, mini QCK Coupling	As and When Required				
1107	Drill Bit dia. 3.2mm, length	As and When				

	240/215mm, mini QCK Coupling	Required				
1108	Drill Bit dia.3.5mm, length 100/85mm,3 flute QCK Coupling	As and When Required				
1109	LARGE FRAGMENT INSTRUMENT SET AND IMPLANTS	As and When Required				
1110	Large fragment instruments set	As and When Required				
1111	4.5mm Cortex Screw, length 14mm, St. steel	As and When Required				
1112	4.5mm Cortex Screw, length 16mm, St. steel	As and When Required				
1113	4.5mm Cortex Screw, length 18mm, St. steel	As and When Required				
1114	4.5mm Cortex Screw, length 20mm, St. steel	As and When Required				
1115	4.5mm Cortex Screw, length 22mm, St. steel	As and When Required				
1116	4.5mm Cortex Screw, length 24mm, St. steel	As and When Required				
1117	4.5mm Cortex Screw, length 26mm, St. steel	As and When Required				
1118	4.5mm Cortex Screw, length 28mm, St. steel	As and When Required				

1119	4.5mm Cortex Screw, length 30mm, St. steel	As and When Required				
1120	4.5mm Cortex Screw, length 32mm, St. steel	As and When Required				
1121	4.5mm Cortex Screw, length 34mm, St. steel	As and When Required				
1122	4.5mm Cortex Screw, length 36mm, St. steel	As and When Required				
1123	4.5mm Cortex Screw, length 38mm, St. steel	As and When Required				
1124	4.5mm Cortex Screw, length 40mm, St. steel	As and When Required				
1125	4.5mm Cortex Screw, length 48mm, St. steel	As and When Required				
1126	4.5mm Cortex Screw, length 50mm, St. steel	As and When Required				
1127	4.5mm Cortex Screw, length 52mm, St. steel	As and When Required				
1128	4.5mm Cortex Screw, length 54mm, St. steel	As and When Required				
1129	4.5mm Cortex Screw, length 56mm, St. steel	As and When Required				
1130	4.5mm Cortex Screw, length 58mm, St. steel	As and When Required				
1131	4.5mm Cortex Screw, length	As and When				

	60mm, St. steel	Required				
1132	6.5mm Cancellous Bone Screw/16mm, length 65mm, St. Steel	As and When Required				
1133	6.5mm Cancellous Bone Screw/16mm, length 70mm, St. Steel	As and When Required				
1134	6.5mm Cancellous Bone Screw/16mm, length 75mm, St. Steel	As and When Required				
1135	6.5mm Cancellous Bone Screw/16mm, length80, St. Steel	As and When Required				
1136	6.5mm Cancellous Bone Screw/16mm, length 85mm, St. Steel	As and When Required				
1137	6.5mm Cancellous Bone Screw/16mm, length 90mm, St. Steel	As and When Required				
1138	6.5mm Cancellous Bone Screw/16mm, length 95mm, St. Steel	As and When Required				
1139	6.5mm Cancellous Bone Screw/16mm, length 100mm, St. Steel	As and When Required				

1140	6.5mm Cancellous Bone Screw/16mm, length 105mm, St. Steel	As and When Required				
1141	6.5mm Cancellous Bone Screw/32mm, length25mm, St. Steel	As and When Required				
1142	6.5mm Cancellous Bone Screw/32mm, length 30mm, St. Steel	As and When Required				
1143	6.5mm Cancellous Bone Screw/32mm, length 35mm, St. Steel	As and When Required				
1144	6.5mm Cancellous Bone Screw/32mm, length 40mm, St. Steel	As and When Required				
1145	6.5mm Cancellous Bone Screw/32mm, length 45mm, St. Steel	As and When Required				
1146	6.5mm Cancellous Bone Screw/32mm, length 50mm, St. Steel	As and When Required				
1147	6.5mm Cancellous Bone Screw/fully threaded, length 20mm,st.steel	As and When Required				

1148	6.5mm Cancellous Bone Screw/fully threaded, length 25mm, St. steel	As and When Required				
1149	6.5mm Cancellous Bone Screw/fully threaded, length 30mm, St. steel	As and When Required				
1150	6.5mm Cancellous Bone Screw/fully threaded, length 35mm, St. steel	As and When Required				
1151	6.5mm Cancellous Bone Screw/fully threaded, length 40mm, St. steel	As and When Required				
1152	6.5mm Cancellous Bone Screw/fully threaded, length 45mm, St. steel	As and When Required				
1153	6.5mm Cancellous Bone Screw/fully threaded, length 50mm, St. steel	As and When Required				
1154	6.5mm Cancellous Bone Screw/fully threaded, length 55mm, St. steel	As and When Required				
1155	6.5mm Cancellous Bone Screw/fully threaded, length 60mm, St. steel	As and When Required				

1156	Washer,13/6.7 mm dia, for large cancellous Bone Screws, St. Screws	As and When Required				
1157	DCP 4.5, Broad, 8holes length 135mm,st.steel	As and When Required				
1158	DCP 4.5, Broad, 9holes length 151mm,st.steel	As and When Required				
1159	DCP 4.5, Broad, 12holes length 199mm,st.steel	As and When Required				
1160	DCP 4.5, Broad, 14holes length 231mm,st.steel	As and When Required				
1161	DCP 4.5, Broad, 16holes length 231mm,st.steel	As and When Required				
1162	DCP 4.5, Narrow, 6holes length 103mm,st.steel	As and When Required				
1163	DCP 4.5, Narrow, 7holes length 119mm,st.steel	As and When Required				
1164	DCP 4.5, Narrow, 8holes length 135mm,st.steel	As and When Required				
1165	T- Plate 4.5, 4 holes, length 84mm St. steel	As and When Required				
1166	T- Plate 4.5, 6 holes, length 116mm St. steel	As and When Required				
1167	T- Plate 4.5, 8 holes, length 148mm St. steel	As and When Required				

1168	T- Plate 4.5, 10 holes, St. steel	As and When Required				
1169	T- Plate 4.5, 12 holes, St. steel	As and When Required				
1170	T- Buttress Plate 4.5, 4 holes, length 81mm St. steel L eft	As and When Required				
1171	T- Buttress Plate 4.5, 6 holes, St. steel Left	As and When Required				
1172	T- Buttress Plate 4.5, 8 holes, St. steel Left	As and When Required				
1173	T- Buttress Plate 4.5, 10 holes, St. steel Left	As and When Required				
1174	T- Buttress Plate 4.5, 4 holes, length 81mm St. steel Right	As and When Required				
1175	T- Buttress Plate 4.5, 6 holes, St. steel Right	As and When Required				
1176	T- Buttress Plate 4.5, 8 holes, St. steel Right	As and When Required				
1177	T- Buttress Plate 4.5, 10 holes, St. steel Right	As and When Required				
1178	L- Buttress plate 4.5, 4 holes, length 85mm, St. steel Right	As and When Required				
1179	Lateral Tibial head Buttress plates 4.5 for right	As and When				

	leg. St. steel 5 holes length 117mm	Required				
1180	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel 7 holes length 149mm	As and When Required				
1181	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel 9 holes length 181mm	As and When Required				
1182	Lateral Tibial head Buttress plates 4.5 for right leg. St. steel 11 holes length 213mm	As and When Required				
1183	Lateral Tibial head Buttress plates 4.5 for LEFT leg. St. steel 5 holes length 117mm	As and When Required				
1184	Lateral Tibial head Buttress plates 4.5 for LEFT leg. St. steel 7 holes length 149mm	As and When Required				
1185	Lateral Tibial head Buttress plates 4.5 for LEFT leg. St. steel 9 holes 9length 181mm	As and When Required				
1186	Lateral Tibial head Buttress	As and When				

	plates 4.5 for LEFT leg. St. steel holes 11 length 213mm	Required				
1187	Drill Bit dia3.5mm, length 145/120mm,3 flute QCK Coupling	As and When Required				
1188	Drill Bit dia. 3.5mm, length 120/185,3 flute QCK Coupling	As and When Required				
1189	Drill Bit dia. 4.5mm, length 145/120mm, 3 flute QCK Coupling	As and When Required				
1190	Proximal Femoral Instruments Set	As and When Required				
1191	Proximal Femoral Nails, Stainless Steel,Size10mmx 25cm	As and When Required				
1192	Proximal Femoral Nails, Stainless Steel,Size11mmx 25cm	As and When Required				
1193	Proximal Locking Screws For Pnf/Reconstruction Nail Diameter 70+/- 1.4Mm, Stainless Steel, Length 60Mm	As and When Required				
1194	Proximal Locking Screws For Reconstruction Nail	As and When Required				

	Diameter,5.9Mm, Stainless Steel, Length 60Mm					
1195	Proximal Locking Self Tapping Cannulated Screws For Pfn Nail Diameter,6.5Mm, Stainless Steel, Length 60Mm	As and When Required				
1196	Proximal Locking Self Tapping Cannulated Screws For Pfn Nail Diameter,6.5Mm, Stainless Steel, Length 65Mm	As and When Required				
1197	Proximal Locking Self Tapping Cannulated Screws For Pfn Nail Diameter,6.5Mm, Stainless Steel, Length70Mm	As and When Required				
1198	Proximal Locking Self Tapping Cannulated Screws For Pfn Nail Diameter,6.5Mm, Stainless Steel, Length 75Mm	As and When Required				
1199	Proximal Locking Self Tapping Cannulated Screws For Pfn Nail Diameter,6.5Mm, Stainless Steel,	As and When Required				

	Length 80Mm					
1200	Proximal Locking Self Tapping Cannulated Screws For Pfn Nail Diameter,6.5Mm, Stainless Steel, Length 85Mm	As and When Required				
1201	Proximal Locking Self Tapping Cannulated Screws For Pfn Nail Diameter,6.5Mm, Stainless Steel, Length 90Mm	As and When Required				
1202	Proximal Locking Self Tapping Cannulated Screws For Pfn Nail Diameter,6.5Mm, Stainless Steel, Length 95Mm	As and When Required				
1203	Proximal Locking Self Tapping Cannulated Screws For Pfn Nail Diameter,6.5Mm, Stainless Steel, Length 100Mm	As and When Required				
1204	Proximal Locking Self Tapping Cannulated Screws For Pfn Nail Diameter,6.5Mm, Stainless Steel, Length105Mm	As and When Required				

1205	Proximal Locking Self Tapping Cannulated Screws For Pfn Nail Diameter,6.5Mm, Stainless Steel, 110Mm	As and When Required				
1206	Proximal Locking Self Tapping Cannulated Screws For Pfn Nail Diameter,6.5Mm, Stainless Steel, Length 115Mm	As and When Required				
1207	Reconstruction Nails, Stainless Steel, Size 10mmx40cm	As and When Required				
1208	K-WIRES	As and When Required				
1209	K-Wire dia 1.5mm, length 150 + 10mm, trocar tip St. steel	As and When Required				
1210	K-Wire dia 1.5mm, length 280 + 20mm trocar tip St. steel	As and When Required				
1211	K-Wire dia 1.6mm, length 150 + 10mm trocar tip St. steel	As and When Required				
1212	K- Wire dia 1.6mm, length 280 + 20mm,trocar tip St. steel	As and When Required				

1213	K- Wire dia 1.7mm, length 150+ 10mm, trocar tip St. steel	As and When Required				
1214	K-Wire dia 1.7mm, length 280+20mm, trocar tip St. steel	As and When Required				
1215	K-Wire dia 1.8mm, length 150+10mm, trocar tip St. steel	As and When Required				
1216	K-Wire dia 1.8mm, length 280+20mm, trocar tip St. steel	As and When Required				
1217	K-Wire dia 2.5mm, length 150 + 10mm trocar tip St. steel	As and When Required				
1218	K- Wire dia 2.5mm, length 280 + 20mm,trocar tip St. steel	As and When Required				
1219	Adjustable Clamps Small	As and When Required				
1220	Adjustable Clamps Large	As and When Required				
1221	Tube to Tube Connectors	As and When Required				
1222	Power Drills (Battery) with assorted saw blades	As and When Required				
1223	Skull Traction Kit	As and				

		When Required				
1224	Vacuum Drains G10	As and When Required				
1225	Vacuum Drains G14	As and When Required				
1226	Vacuum Drains G16	As and When Required				
1227	External fixator instruments set	As and When Required				
1228	Schanz screws dia 2.0mm length 100mm	As and When Required				
1229	Schanz screws dia 2.5mm length 127mm	As and When Required				
1230	Schanz screws dia 3.0mm length 150mm	As and When Required				
1231	Schanz screws dia 3.5mm length 177mm	As and When Required				
1232	Schanz screws dia 4.5mm length 200mm	As and When Required				
1233	Schanz screws dia 5.0mm length 200mm	As and When Required				
1234	Pneumatic tourniquet, duel fastening systems, comes with different sizes of cuffs, automatic pressure release,	As and When Required				

	inflatable cuffs, a compressed gas source, monitor and control cuff, with a stand with moving wheels, power driven 220-240v					
1235	Cannulated Screw set 3.5mm	As and When Required				
1236	Oscillating Saw	As and When Required				
1237	Skeletal Traction Kit	As and When Required				
1238	Plaster Cutter (Electrical)	As and When Required				
1239	Tramadol injection	As and When Required				
	<b>TOTAL PRICE</b>					

#### LOT. VI.ORTHOPEADIC IMPLANT

Item No	Item Description	Unit of issue	Unit Price	Brand (Where applicable)	Total Value (Ksh)	Delivery Period after receiving the LPO
1	Bipolar prothesis	41-55mm	As and When Required			
2	Bone cement	N/A	As and When Required			

			d			
3	DHS&DCS plate	2-6holes	As and When Required			
4	Small DCP nonlocking	6-12 holes	As and When Required			
5	Narrow DCP	6-12 holes	As and When Required			
6	Broad DCP	6-12 holes	As and When Required			
	<b>LOCKING PLATES</b>		As and When Required			
1	Distal femur	5-12holes	As and When Required			
2	Proximal Tibia medial &lateral	5-12holes	As and When Required			
3	Small DCP locking	6-12 holes	As and When Required			
4	Distal Tibia medial &laterral	5-12holes	As and When Required			
5	A third Tibular	6-12 holes	As and When			

			Required			
6	Interlocking Nail	10*340- 10*400	As and When Required			
7	Volar plate	3-6 holes	As and When Required			
8	T oblique plate	3-6 holes	As and When Required			
9	Distal humerus plate medial & lateral	5-8holes	As and When Required			
10	Proximal femur	3-12 holes	As and When Required			
11	Clavicle hooked plate	4-6holes	As and When Required			
12	Clavicle S plate	4-8holes	As and When Required			
13	Olecranon plate	4-8holes	As and When Required			
	<b>SCREWS</b>		As and When Required			
1	Cannulated	all sizes	As and			

	screws		When Required			
2	Corticle screws 3.5mm&4.0mm	all sizes	As and When Required			
3	Corticle screws 4.5mm	all sizes	As and When Required			
4	Locking corticle screws5.0mm	all sizes	As and When Required			
5	Locking cancellous5.0mm &6.5mm	all sizes	As and When Required			
6	External fixators	set	As and When Required			
7	K-wires 1.5mm,1.8mm,2.0 mm,2.5mm,3.0m m	as applied	As and When Required			
8	Circulage wire 1.8mm	as applied	As and When Required			
9	Drill bits2.5mm,2.7mm ,3.2mm,3.5mm,4. 0mm	as applied	As and When Required			
10	Ethibond	no.5	As and When Required			

11	Ethibond	no.2	As and When Required			
12	Arm sling (all sizes)	no	As and When Required			
13	Ankle support(all sizes)	no	As and When Required			
14	Knee support(all sizes)	no	As and When Required			
15	Knee immobiliser(all sizes)	no	As and When Required			
16	Ankle brace(all sizes)	no	As and When Required			
17	Shoulder immobiliser(all sizes)	no	As and When Required			
18	Wrist splint(all sizes)	no	As and When Required			
19	Thumb spica(all sizes)	no	As and When Required			
20	Cock-up splint(all sizes)	no	As and When Required			

			d			
21	Clavicle Brace(all sizes)	no	As and When Required			
22	Elbow support(all sizes)	no	As and When Required			
23	Crepe Bandage2,4,8 inches	no	As and When Required			
24	Plaster of paris4,6,8 inches	no	As and When Required			
25	Ribbon mattress(standard)	no	As and When Required			
26	Wheelchair(standard)	no	As and When Required			
27	Wheelchair(commode)	no	As and When Required			
28	Wheelchair(Reclining)	no	As and When Required			
29	Auxiliary crutches	no	As and When Required			
30	Elbow crutches	no	As and When			

			Required			
31	Walking frame	no	As and When Required			
32	Commode chair	no	As and When Required			
33	Airing	no	As and When Required			
34	Backrest	no	As and When Required			
35	Full silicone insole(all sizes)	no	As and When Required			
36	silicone heel cushion(all sizes)	no	As and When Required			
37	Footdrop splint(all sizes)	no	As and When Required			
38	Hinged knee brace(all sizes)	no	As and When Required			
39	Compression stockings(all sizes)	no	As and When Required			
40	Sacral lumbar	no	As and			

	corset(all sizes)		When Required			
41	Abdominal binder	no	As and When Required			
42	Spinal Brace	no	As and When Required			
43	Knee cap	no	As and When Required			
44	Soft cervical collar	no	As and When Required			
45	Cervical immobiliser	no	As and When Required			
46	Hard cervical collar	no	As and When Required			
44	Soft cervical collar	no	As and When Required			
45	Cervical immobiliser	no	As and When Required			
46	Hard cervical collar	no	As and When Required			

	TOTAL AMOUNT					
--	--------------	--	--	--	--	--

Prices to include all taxes applicable and delivery must be quoted in Kenya Shillings (No special delivery costs shall be accepted)

Tenderer's name \_\_\_\_\_

Signature \_\_\_\_\_

Date \_\_\_\_\_

**Note:** In case of discrepancy between unit price and total, the unit price shall prevail.

*Note:* Prices quoted must remain valid for the entire period of the contract. (See GCC 3:13)

## **SECTION VIII - STANDARD FORMS**

### **Notes on the sample Forms**

1. Form of Tender - The form of tender must be completed by the tenderer and submitted with the tender documents. It must also be duly signed by duly authorized representatives of the tenderer.
2. Confidential Business Questionnaire Form - This form must be completed by the tenderer and submitted with the tender documents.
3. Tender Security Form - When required by the tender documents the tender shall provide the tender security either in the form included herein or in another format acceptable to the procuring entity.
4. Contract Form - The Contract Form shall not be completed by the tenderer at the time of submitting the tender. The Contract Form shall be completed after contract award and should incorporate the accepted contract price.
5. Performance Security Form - The performance security form should not be completed by the tenderers at the time of tender preparation. Only the successful tenderer will be required to provide performance security in the form provided herein or in another form acceptable to the procuring entity.

6. Bank Guarantee for Advance Payment Form - When Advance payment is requested for by the successful bidder and agreed by the procuring entity, this form must be completed fully and duly signed by the authorized officials of the bank.
7. Manufacturers Authorization Form - When required by the tender documents this form must be completed and submitted with the tender documents. This form will be completed by the manufacturer of the goods where the tenderer is an agent.

8.1 **FORM OF TENDER**

Date \_\_\_\_\_  
Tender No. \_\_\_\_\_

To: \_\_\_\_\_  
*[name and address of procuring entity]*

Gentlemen and/or Ladies:

1. Having examined the tender documents including Addenda Nos. .... *[insert numbers]*.the receipt of which is hereby duly acknowledged, we, the undersigned, offer to supply deliver, install and commission ( ..... *(insert equipment description)* in conformity with the said tender documents for the sum of ..... *(total tender amount in words and figures)* or such other sums as may be ascertained in accordance with the Schedule of Prices attached herewith and made part of this Tender.

2. We undertake, if our Tender is accepted, to deliver install and commission the equipment in accordance with the delivery schedule specified in the Schedule of Requirements.

3. If our Tender is accepted, we will obtain the guarantee of a bank in a sum of equivalent to \_\_\_\_\_ percent of the Contract Price for the due performance of the Contract , in the form prescribed by .....*( Procuring entity)*.

4. We agree to abide by this Tender for a period of ..... *[number]* days from the date fixed for tender opening of the Instructions to tenderers, and it shall remain binding upon us and may be accepted at any time before the expiration of that period.

5. This Tender, together with your written acceptance thereof and your notification of award, shall constitute a Contract, between us. Subject to signing of the Contract by the parties.

6. We understand that you are not bound to accept the lowest or any tender you may receive.

Dated this \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_

\_\_\_\_\_  
[signature]

\_\_\_\_\_  
[in the capacity of]

Duly authorized to sign tender for an on behalf of \_\_\_\_\_

## 8.2 CONFIDENTIAL BUSINESS QUESTIONNAIRE FORM

You are requested to give the particulars indicated in Part 1 and either Part 2(a), 2(b) or 2 (c ) whichever applied to your type of business  
 You are advised that it is a serious offence to give false information on this form

<i>Part 1 – General:</i>	
Business Name .....	.....
Location of business premises. ....	.....
Plot No.....	Street/Road .....
Postal Address .....	Tel No. .... Fax .....
Nature of Business .....	E mail .....
Registration Certificate No. ....	.....
Maximum value of business which you can handle at any one time – Kshs. ....	.....
Name of your bankers .....	Branch .....

	Part 2 (a) – Sole Proprietor Your name in full ..... Age ..... Nationality ..... Country of origin ..... • Citizenship details ..... ..... •																														
	Part 2 (b) Partnership Given details of partners as follows: <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%;">Name</th> <th style="width: 20%;">Nationality</th> <th style="width: 20%;">Citizenship Details</th> <th style="width: 10%;">Shares</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>.....</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>2.</td> <td>.....</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>3.</td> <td>.....</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>4.</td> <td>.....</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> </tbody> </table>		Name	Nationality	Citizenship Details	Shares	1.	.....	.....	.....	.....	2.	.....	.....	.....	.....	3.	.....	.....	.....	.....	4.	.....	.....	.....	.....					
	Name	Nationality	Citizenship Details	Shares																											
1.	.....	.....	.....	.....																											
2.	.....	.....	.....	.....																											
3.	.....	.....	.....	.....																											
4.	.....	.....	.....	.....																											
	Part 2 (c) – Registered Company Private or Public ..... State the nominal and issued capital of company- Nominal Kshs. .... Issued Kshs. .... Given details of all directors as follows <table style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 10%;"></th> <th style="width: 40%;">Name</th> <th style="width: 20%;">Nationality</th> <th style="width: 20%;">Citizenship Details</th> <th style="width: 10%;">Shares</th> </tr> </thead> <tbody> <tr> <td>1.</td> <td>.....</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>2.</td> <td>.....</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>3.</td> <td>.....</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>4.</td> <td>.....</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> <tr> <td>5.</td> <td>.....</td> <td>.....</td> <td>.....</td> <td>.....</td> </tr> </tbody> </table>		Name	Nationality	Citizenship Details	Shares	1.	.....	.....	.....	.....	2.	.....	.....	.....	.....	3.	.....	.....	.....	.....	4.	.....	.....	.....	.....	5.	.....	.....	.....	.....
	Name	Nationality	Citizenship Details	Shares																											
1.	.....	.....	.....	.....																											
2.	.....	.....	.....	.....																											
3.	.....	.....	.....	.....																											
4.	.....	.....	.....	.....																											
5.	.....	.....	.....	.....																											
Date .....	Signature of Candidate .....																														

- If a Kenya Citizen, indicate under “Citizenship Details” whether by Birth, Naturalization or registration.

### 8.3 TENDER SECURITY FORM

Whereas ..... [*name of the tenderer*]  
(hereinafter called “the tenderer”) has submitted its tender dated  
..... [*date of submission of tender*] for the supply, installation  
and commissioning of ..... [*name and/or description*  
*of the equipment*] (hereinafter called “the Tender”)  
..... KNOW ALL PEOPLE by  
these presents that WE ..... of  
..... having our registered office at  
..... (hereinafter called “the Bank”), are bound unto  
..... [*name of Procuring entity*] (hereinafter called “the  
Procuring entity”) in the sum of ..... for which  
payment well and truly to be made to the said Procuring entity, the  
Bank binds itself, its successors, and assigns by these presents.  
Sealed with the Common Seal of the said Bank this \_\_\_\_\_  
day of \_\_\_\_\_ 20 \_\_\_\_\_.

THE CONDITIONS of this obligation are:-

1. If the tenderer withdraws its Tender during the period of tender validity specified by the tenderer on the Tender Form; or
2. If the tenderer, having been notified of the acceptance of its Tender by the Procuring entity during the period of tender validity:
  - (a) fails or refuses to execute the Contract Form, if required; or
  - (b) fails or refuses to furnish the performance security in accordance with the Instructions to tenderers;

We undertake to pay to the Procuring entity up to the above amount upon receipt of its first written demand, without the Procuring entity having to substantiate its demand, provided that in its demand the Procuring entity will note that the amount claimed by it is due to it, owing to the occurrence of one or both of the two conditions, specifying the occurred condition or conditions.

This tender guarantee will remain in force up to and including thirty (30) days after the period of tender validity, and any demand in respect thereof should reach the Bank not later than the above date.

[*signature of the bank*] \_\_\_\_\_  
(Amend accordingly if provided by Insurance Company)

## 8.4 CONTRACT FORM

THIS AGREEMENT made the \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_ between ..... [*name of Procurement entity*] of ..... [*country of Procurement entity*] (hereinafter called “the Procuring entity) of the one part and ..... [*name of tenderer*] of ..... [*city and country of tenderer*] (hereinafter called “the tenderer”) of the other part;

WHEREAS the Procuring entity invited tenders for certain goods ] and has accepted a tender by the tenderer for the supply of those goods in the sum of ..... [*contract price in words and figures*] (hereinafter called “the Contract Price).

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to:
2. The following documents shall be deemed to form and be read and construed as part of this Agreement viz:
  - (a) the Tender Form and the Price Schedule submitted by the tenderer
  - (b) the Schedule of Requirements
  - (c) the Technical Specifications
  - (d) the General Conditions of Contract
  - (e) the Special Conditions of contract; and
  - (f) the Procuring entity’s Notification of Award
3. In consideration of the payments to be made by the Procuring entity to the tenderer as hereinafter mentioned, the tender hereby covenants with the Procuring entity to provide the goods and to remedy defects therein in conformity in all respects with the provisions of the Contract
4. The Procuring entity hereby covenants to pay the tenderer in consideration of the provisions of the goods and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the Contract at the times and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with their respective laws the day and year first above written.

Signed, sealed, delivered by \_\_\_\_\_ the \_\_\_\_\_ (for the Procuring entity

Signed, sealed, delivered by \_\_\_\_\_ the \_\_\_\_\_ (for the tenderer in the presence of \_\_\_\_\_

*(Amend accordingly if provided by Insurance Company)*

## 8.5 PERFORMANCE SECURITY FORM

To .....  
[*name of Procuring entity*]

WHEREAS ..... [*name of tenderer*]  
(hereinafter called “the tenderer”) has undertaken , in pursuance of Contract  
No. \_\_\_\_\_ [*reference number of the contract*] dated \_\_\_\_\_  
20 \_\_\_\_\_ to supply .....  
[*description of goods*] (hereinafter called “the Contract”).

AND WHEREAS it has been stipulated by you in the said Contract that the  
tenderer shall furnish you with a bank guarantee by a reputable bank for the  
sum specified therein as security for compliance with the Tenderer’s  
performance obligations in accordance with the Contract.

AND WHEREAS we have agreed to give the tenderer a guarantee:

THEREFORE WE hereby affirm that we are Guarantors and responsible to  
you, on behalf of the tenderer, up to a total of .....  
[*amount of the guarantee in words and figure*] and we undertake to pay you,  
upon your first written demand declaring the tenderer to be in default under  
the Contract and without cavil or argument, any sum or sums within the  
limits of ..... [*amount of guarantee*] as aforesaid, without  
you needing to prove or to show grounds or reasons for your demand or the  
sum specified therein.

This guarantee is valid until the \_\_\_\_\_ day of \_\_\_\_\_ 20 \_\_\_\_\_

Signed and seal of the Guarantors

\_\_\_\_\_  
[*name of bank or financial institution*]

\_\_\_\_\_  
[*address*]

\_\_\_\_\_  
[*date*]

**8.6 BANK GUARANTEE FOR ADVANCE PAYMENT FORM**

To .....  
[name of Procuring entity]

[name of tender] .....

Gentlemen and/or Ladies:

In accordance with the payment provision included in the Special Conditions of Contract, which amends the General Conditions of Contract to provide for advance payment, ..... [name and address of tenderer](hereinafter called “the tenderer”) shall deposit with the Procuring entity a bank guarantee to guarantee its proper and faithful performance under the said Clause of the Contract in an amount of ..... [amount of guarantee in figures and words].

We, the ..... [bank or financial institutions], as instructed by the tenderer, agree unconditionally and irrevocably to guarantee as primary obligator and not as surety merely, the payment to the Procuring entity on its first demand without whatsoever right of objection on our part and without its first claim to the tenderer, in the amount not exceeding ..... [amount of guarantee in figures and words]

We further agree that no change or addition to or other modification of the terms of the Contract to be performed there-under or of any of the Contract documents which may be made between the Procuring entity and the tenderer, shall in any way release us from any liability under this guarantee, and we hereby waive notice of any such change, addition, or modification.

This guarantee shall remain valid in full effect from the date of the advance payment received by the tenderer under the Contract until ..... [date].

Yours truly,

Signature and seal of the Guarantors

\_\_\_\_\_  
[name of bank or financial institution]

\_\_\_\_\_  
[address]

\_\_\_\_\_  
[date]

## 8.7 MANUFACTURER’S AUTHORIZATION FORM

To *[name of the Procuring entity]* .....

WHEREAS .....*[name of the manufacturer]* who are established and reputable manufacturers of ..... *[name and/or description of the goods]* having factories at ..... *[address of factory]* do hereby authorize ..... *[name and address of Agent]* to submit a tender, and subsequently negotiate and sign the Contract with you against tender No. .... *[reference of the Tender]* for the above goods manufactured by us.

We hereby extend our full guarantee and warranty as per the General Conditions of Contract for the goods offered for supply by the above firm against this Invitation for Tenders.

---

*[signature for and on behalf of manufacturer]*

*Note:* This letter of authority should be on the letterhead of the Manufacturer and should be signed by a person competent.

## 8.8 LETTER OF NOTIFICATION OF AWARD

Address of Procuring Entity

\_\_\_\_\_  
\_\_\_\_\_

To: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

RE: Tender No. \_\_\_\_\_

Tender Name \_\_\_\_\_

This is to notify that the contract/s stated below under the above mentioned tender have been awarded to you.

\_\_\_\_\_  
\_\_\_\_\_

1. Please acknowledge receipt of this letter of notification signifying your acceptance.
2. The contract/contracts shall be signed by the parties within 30 days of the date of this letter but not earlier than 14 days from the date of the letter.
3. You may contact the officer(s) whose particulars appear below on the subject matter of this letter of notification of award.

*(FULL PARTICULARS)* \_\_\_\_\_  
\_\_\_\_\_

SIGNED FOR ACCOUNTING OFFICER

**8.9 FORM RB 1**

**REPUBLIC OF KENYA  
PUBLIC PROCUREMENT ADMINISTRATIVE REVIEW BOARD**

APPLICATION NO.....OF.....20.....

BETWEEN

.....APPLICANT

AND

.....RESPONDENT (*Procuring Entity*)

Request for review of the decision of the..... (*Name of the Procuring Entity*) of  
.....dated the...day of .....20.....in the matter of Tender No.....of  
.....20...

**REQUEST FOR REVIEW**

I/We.....,the above named Applicant(s), of address: Physical  
address.....Fax No.....Tel. No.....Email ....., hereby request the Public  
Procurement Administrative Review Board to review the whole/part of the above mentioned  
decision on the following grounds , namely:-

- 1.
  - 2.
- etc.

By this memorandum, the Applicant requests the Board for an order/orders that: -

- 1.
  - 2.
- etc

SIGNED .....(Applicant)

Dated on.....day of ...../...20...

---

**FOR OFFICIAL USE ONLY**

Lodged with the Secretary Public Procurement Administrative Review Board on ..... day of  
.....20.....

SIGNED  
Board Secretary

